Ultrasound in Med. & Biol., Vol. 26, No. 9, pp. 1543–1604, 2000
Copyright © 2001 World Federation for Ultrasound in Medicine & Biology
Printed in the USA. All rights reserved
0301-5629/00/$–see front matter

AUTHOR/SUBJECT INDEX

3D

3D imaging
3D spatial compounding of ultrasound images using image-based non-rigid registration (Krucker), 1475
a fast rotating scanning unit for real-time three-dimensional echo data acquisition (Djoa), 863
accuracy of in-vitro volume estimation of small structures using three-dimensional ultrasound (Berg), 425
an interactive tool to visualize three-dimensional ultrasound data (Robert), 133
assessment of fetal cerebellar volume using three-dimensional ultrasound (Chang), 981
automated contour detection for high-frequency intravascular ultrasound imaging: a technique with blood noise reduction for edge enhancement (Takagi), 1033
body-centred visualisation for freehand 3-D ultrasound (Tuomola), 539
evaluation of 3-D colour Doppler ultrasound for the measurement of proximal isovelocity surface area (deGroot), 989
fetal ear assessment and prenatal detection of aneuploidy by the quantitative three-dimensional ultrasonography (Chang), 743
fetal renal volume in normal gestation: a three-dimensional ultrasound study (Yu), 1253
on the IVUS plaque volume error in coronary arteries when neglecting curvature (Schuurbiers), 1403,
optimum scan spacing for three-dimensional ultrasound by speckle statistics (Smith), 551
real-time 3-D ultrasound acquisition and display for cardiac volume and ejection fraction evaluation (Arbeille), 201
reconstruction and visualization of irregularly sampled three- and four-dimensional ultrasound data for cerebrovascular applications (Meairs), 263
scanning techniques for three-dimensional forward viewing intravascular ultrasound imaging (Gatzoulis), 1461
segmentation of 3D intravascular ultrasonic images based on a random field model (Haas), 297
simultaneous use of two ultrasound scanners for motion-gated three-dimensional fetal echocardiography (Deng), 1021
three-dimensional automatic quantitative analysis of intravascular ultrasound images (Kovalski), 527
three-dimensional echocardiography paves the way toward virtual reality (Bruining), 1065
three-dimensional ultrasound imaging of the rotator cuff: spatial compounding and tendon thickness measurement (Leotta), 509
three-dimensional ultrasound in the assessment of fetal cerebellar transverse and antero-posterior diameters (Chang), 175

validation of volume measurements in esophageal pseudotumors using 3D endoluminal ultrasound (Liu), 735

4D

4D imaging
a fast rotating scanning unit for real-time three-dimensional echo data acquisition (Djoa), 863
simultaneous use of two ultrasound scanners for motion-gated three-dimensional fetal echocardiography (Deng), 1021
reconstruction and visualization of irregularly sampled three- and four-dimensional ultrasound data for cerebrovascular applications (Meairs), 263

A

Acoustic absorber
a new anechoic material for medical ultrasonic applications (Zeqiri), 481
schlieren photography study of energy absorption by uric acid nuclei (Lafaut), 335

Age
flow velocity and flow volume measurements in the extracranial carotid and vertebral arteries in healthy adults: reference data and the effects of age (Scheel), 1261
measurement of aortic arch distension wave with the echo-track technique (Studinger), 1285
three-dimensional ultrasound in the assessment of fetal cerebellar transverse and antero-posterior diameters (Chang), 175

Agglutination
ultrasonic wave action upon the red blood cell agglutination *in vitro*, (Doubrovski), 655

Aneuploidy
fetal ear assessment and prenatal detection of aneuploidy by the quantitative three-dimensional ultrasonography (Chang), 743

Angiogenesis
high-frequency color flow imaging of the microcirculation (Goertz), 63

Angle-independent Doppler
cross-beam vector Doppler ultrasound for angle-independent velocity measurements (Dunmire), 1213

Annulus fibrosis
intervertebral disc structure: observation by a novel use of ultrasound imaging (McNally), 751

Aorta
40 MHz Doppler characterization of umbilical and dorsal aortic blood flow in the early mouse embryo (Phoon), 1275
measurement of aortic arch distension wave with the echo-track technique (Studinger), 1285

Aortic valve
evaluation of progression in nonrheumatic aortic valvular stenosis by scanning acoustic microscopy (Lu), 563

Artery
40 MHz Doppler characterization of umbilical and dorsal aortic blood flow in the early mouse embryo (Phoon), 1275
a real-time two-dimensional pulsed-wave Doppler system (Scabia), 121
accuracy of coronary flow measurements performed by means of Doppler wires (Doriot), 221
assessment of arterial stenosis in a flow model with power Doppler angiography: accuracy and observations on blood echogenicity (Cloutier), 1489
blood flow velocity using transcranial Doppler velocimetry in the middle and anterior cerebral arteries: correlation with sample volume depth (Hart), 1267
calculating blood flow from Doppler measurements in the systemic-to-pulmonary artery shunt after the Norwood operation: a method based on computational fluid dynamics (Migliavacca), 209
classification of arterial plaque by spectral analysis
in vitro radio frequency intravascular ultrasound data (Watson), 73
colour Doppler ultrasound: a new index improves the diagnosis of renal artery stenosis (Souza de Oliveira), 41
cross-beam vector Doppler ultrasound for angle-independent velocity measurements (Dunmire), 1213
delineation of the extracellular determinants of ultrasonic scattering from elastic arteries (Hall), 613
detection of stenoses in the anterior circulation using frequency-based transcranial color-coded sonography (Klötzsch), 579
evaluation of posterior cerebral artery flow velocity by transcranial color-coded real-time sonography (Kimura), 195
evaluation of progression in nonrheumatic aortic valvular stenosis by scanning acoustic microscopy (Lu), 563
flow velocity and flow volume measurements in the extracranial carotid and vertebral arteries in healthy adults: reference data and the effects of age (Scheel), 1261
high-frequency color flow imaging of the microcirculation (Goertz), 63
in vitro spatial compound scanning for improved visualization of atherosclerosis (Jespersen), 1357
increased peak blood velocity in association with elevated blood pressure (Perret), 1387
intraluminal ultrasonic palpation: assessment of local and cross-sectional tissue stiffness (Céspedes), 385
measurement of aortic arch distension wave with the echo-track technique (Studinger), 1285
non-invasive assessment of brachial artery endothelial function with digital ultrasound and 13-MHz scanning frequency: feasibility of measuring the true inner luminal diameter using the intima-lumen interface (Jarvisalo), 1257
on the IVUS plaque volume error in coronary arteries when neglecting curvature (Schuurbiers), 1403,
pathological angioarchitecture in lymph nodes: underlying histopathologic findings (Tschammler), 1089
reactive pulmonary artery vasoconstriction in pulmonary consolidation evaluated by color Doppler ultrasonography (Yuan), 49

reconstruction and visualization of irregularly sampled three- and four-dimensional ultrasound data for cerebrovascular applications (Meairs), 263
relationship between ultrasound texture classification images and histology of atherosclerotic plaque (Rakebrandt), 1393,
reproducibility of calcified lesion quantification: a longitudinal intravascular ultrasound study (Hagenaars), 1075
reproducibility of volumetric quantification in intravascular ultrasound images (Hagenaars), 367
study of blood flow parameters measured in femoral artery after exercise: correlation with maximum oxygen uptake (Piquet), 1001
the effects of beam shape on the ability to predict changes in vessel size from Doppler signal power (Deverson), 245
the effects of temporal bone on transcranial Doppler ultrasound beam shape (Deverson), 239
the matching pursuit: a new method of characterizing microembolic signals? (Devuyst), 1051
three-dimensional automatic quantitative analysis of intravascular ultrasound images (Kovalski), 527
transcranial Doppler blood velocity measurement - the effect of changes in velocity profile (Lunt), 1145
ultrasonic tissue characterization evaluates myocardial viability and ischemia in patients with coronary artery disease (Lin), 759
vertebral arteries and neck rotation: Doppler velocimeter and duplex results compared (Haynes), 57
vertebral arteries and neck rotation: Doppler velocimeter interexaminer reliability (Haynes), 1363

Artefacts

3D spatial compounding of ultrasound images using image-based non-rigid registration (Krucker), 1475
errors in ultrasound digital image distance measurements (Goldstein), 1125
fundamental studies on contrast images from different-sized microbubbles: analytical and experimental studies (Soetanto), 81
intrinsic spectral broadening (ISB) in ultrasound Doppler as a combination of transit time and local geometrical broadening (Guidi), 853
selective transmission of a focused Doppler ultrasound beam through a plastic layer (Thompson), 1333
the effect of acoustic velocity on phantom measurements (Goldstein), 1133
the effects of temporal bone on transcranial Doppler ultrasound beam shape (Deverson), 239
transcranial Doppler blood velocity measurement - the effect of changes in velocity profile (Lunt), 1145

Attenuation

classification of arterial plaque by spectral analysis *in vitro* radio frequency intravascular ultrasound data (Watson), 73
feasibility of mitral flow assessment by echo-contrast ultrasound, Part I: determination of the properties of echo-contrast agents (Herman), 787
feasibility of mitral flow assessment by echo-contrast ultrasound, Part II: experimental study on a mechanical model of the left heart (Herman), 797
high-frequency backscatter and attenuation measurements of selected bovine tissues between 10 and 30 MHz (Maruvada), 1043

prevalence and risk factors of low quantitative ultrasound values of calcaneus in Korean elderly women (Kim), 35
relationships of ultrasonic backscatter with ultrasonic attenuation, sound speed and bone mineral density in human calcaneus (Wear), 1311
temperature dependence of ultrasonic attenuation in human calcaneus (Wear), 469
the effects of temporal bone on transcranial Doppler ultrasound beam shape (Deverson), 239
the experimental investigation of ultrasonic properties for a sonicated contrast agent and its application in biomedicine (Zhang), 347
ultrasonic characterization of the nonlinear properties of contrast microbubbles (Shi), 93

Autoregressive methods
application of autoregressive methods to multigate spectral analysis (Guidi), 585

B

Baert, L., see Lafaut, J.-P.

Backscatter
a new anechoic material for medical ultrasonic applications (Zeqiri), 481
acoustic droplet vaporization for therapeutic and diagnostic applications (Kripfgans), 1177
advances in ultrasound biomicroscopy (Foster), 1
an *in vitro* comparison of ultrasonic contrast agents in solutions with varying air levels (Sboros), 807
assessment of arterial stenosis in a flow model with power Doppler angiography: accuracy and observations on blood echogenicity (Cloutier), 1489
cavitational mechanisms in ultrasound-accelerated thrombolysis at 1 MHz (Everbach), 1153
classification of arterial plaque by spectral analysis *in vitro* radio frequency intravascular ultrasound data (Watson), 73
colour Doppler ultrasound in vesicovaginal fistulas (Volkmer), 771
delineation of the extracellular determinants of ultrasonic scattering from elastic arteries (Hall), 613
evaluation of an experimental system for the *in vitro* assessment of ultrasonic contrast agents (Sboros), 105
experimental study of the effects of Optison® concentration on sonoporation *in vitro* (Ward), 1169
feasibility of mitral flow assessment by echo-contrast ultrasound, Part I: determination of the properties of echo-contrast agents (Herman), 787
feasibility of mitral flow assessment by echo-contrast ultrasound, Part II: experimental study on a mechanical model of the left heart (Herman), 797
fundamental studies on contrast images from different-sized microbubbles: analytical and experimental studies (Soetanto), 81
high-frequency backscatter and attenuation measurements of selected bovine tissues between 10 and 30 MHz (Maruvada), 1043
high-frequency ultrasound for quantitative characterization of myocardial edema (Dent), 375
in vitro flow quantification with contrast power Doppler imaging (Ugolini), 113
influence of environmental conditions on a new surfactant-based contrast agent: ST68 (Basude), 621

intraluminal ultrasonic palpation: assessment of local and cross-sectional tissue stiffness (Céspedes), 385
predicting the acoustic response of a microbubble population for contrast imaging in medical ultrasound (Chin), 1293
quantification of microbubble destruction of three fluorocarbon-filled ultrasonic contrast agents (Moran), 629
relationships of ultrasonic backscatter with ultrasonic attenuation, sound speed and bone mineral density in human calcaneus (Wear), 1311
stimulated acoustic emission: pseudo-Doppler shifts seen during the destruction of nonmoving microbubbles (Tiemann), 1161
study of ultrasonic contrast agents using a dual-frequency band technique (Deng), 819
ultrasonic characterization of the nonlinear properties of contrast microbubbles (Shi), 93
ultrasonic tissue characterization with integrated backscatter during inotropic stimulation (Wu), 1413
using Doppler signal power to detect changes in vessel size: a feasibility study using a wall-less flow phantom (Deverson), 593
Bangard, M., see Tiemann, K.
Barmeyer, J., see Haas, C.
Barnett, S. B., see Duggan, P. M.
Barnett, S. B., ter Haar, G. R., Ziskin, M. C., Rott, H.-D., Duck, F. A. and Maeda, K.: international recommendations and guidelines for the safe use of diagnostic ultrasound in medicine, 355
Basude, R., Duckworth, J. W. and Wheatley, M. A.: influence of environmental conditions on a new surfactant-based contrast agent: ST68, 621
Beach, K. W., see Dunmire, B.

Beam shapes
effects of phase aberration on high frame rate imaging (Lu), 143
the effects of beam shape on the ability to predict changes in vessel size from Doppler signal power (Deverson), 245
the effects of temporal bone on transcranial Doppler ultrasound beam shape (Deverson), 239

Becher, H., see Tiemann, K.
Becker, G., see Puls, I.
Behrens, S., see Spengos, K.

Benign prostatic hypertrophy
significant changes in transrectal ultrasonic measurements of the prostate in relation to the degree of rectal wall distension (Nakamura), 29
Berg, D., see Puls, I.
Berg, S., Torp, H. and Blaas, H.-G.: accuracy of *in-vitro* volume estimation of small structures using three-dimensional ultrasound, 425
Berger, G., see Lefebvre, F.
Berman, L., see Tuomola, P. M.
Berriet, R., see Chapelon, J.-Y.
Berson, M., see Karlsson, B.
Beyar, R., see Kovalski, G.
Beyer, J., see Meairs, S.
Bickley, C. J., see Zeqiri, B.
Bilgen, M., see Varghese, T.

Biliary tumours
development of an interstitial ultrasound applicator for endoscopic procedures: animal experimentation (Lafon), 669

Bioeffects
a theoretical investigation of the effect of nonlinear propagation on measurements of mechanical index (Cahill), 433
acceleration of thrombolysis with ultrasound through the cranium in a flow model (Spengos), 889
acoustic droplet vaporization for therapeutic and diagnostic applications (Kripfgans), 1177
bioeffects of positive and negative acoustic pressures in mice infused with microbubbles (Dalecki), 1327
biological effects of ultrasound: development of safety guidelines - part I: personal histories (Nyborg), 911
can high-frequency sound affect gas bubble dynamics? A study in the intact prawn palaemon elegans (Arjeli), 1511
cavitational mechanisms in ultrasound-accelerated thrombolysis at 1 MHz (Everbach), 1153
comparative sensitivity of human and bovine erythrocytes to sonolysis by 1-MHz ultrasound (Miller), 1317
comparison of finite element and heated disc models of tissue heating by ultrasound (Doody), 1347
destruction of contrast microbubbles and the association with inertial cavitation (Shi), 1009
direct ultrasound application had no effect on cardiac hemodynamic performance in a baseline isolated rat heart model (Greenberg), 315
effects of ultrasound and 1,25-Dihydroxyvitamin D3 on growth factor secretion in co-cultures of osteoblasts and endothelial cells (Ito), 161
experimental study of the effects of Optison® concentration on sonoporation *in vitro* (Ward), 1169
international recommendations and guidelines for the safe use of diagnostic ultrasound in medicine (Barnett), 355
measurement of acoustic streaming using magnetic resonance (Starritt), 321
MRI detection of the thermal effects of focused ultrasound on the brain (Vykhodtseva), 871
plasma preparation from whole blood using ultrasound (Cousins), 881
schlieren photography study of energy absorption by uric acid nuclei (Lafaut), 335
sonoporation of monolayer cells by diagnostic ultrasound activation of contrast-agent gas bodies (Miller), 661
stimulated acoustic emission: pseudo-Doppler shifts seen during the destruction of nonmoving microbubbles (Tiemann), 1161
the influence of ultrasound frequency and gas-body composition on the contrast agent-mediated enhancement of vascular bioeffects in mouse intestine (Miller), 307
the influence of variations in blood flow on pulsed Doppler ultrasonic heating of the cerebral cortex of the neonatal pig (Duggan), 647
the intensity dependence of lesion position shift during focused ultrasound surgery (Meaney), 441
the search for cavitation *in vivo* (Carstensen), 1377
ultrasonic wave action upon the red blood cell agglutination *in vitro*, (Doubrovski), 655

ultrasound-induced intercellular space widening in fish epidermis (Frenkel), 473

Biomechanics
biomechanical assessment of plantar foot tissue in diabetic patients using an ultrasound indentation system (Zheng), 451
the DopFet system: a new ultrasonic Doppler system for monitoring and characterization of fetal movement (Karlsson), 1117

Biomicroscopy
a new approach for glomerular lesions: evaluation of scanning acoustic microscopy (SAM) for experimental glomerular disease in rats (Hitomi), 571
advances in ultrasound biomicroscopy (Foster), 1
evaluation of progression in nonrheumatic aortic valvular stenosis by scanning acoustic microscopy (Lu), 563
high-frequency ultrasound for quantitative characterization of myocardial edema (Dent), 375
intracorporeal imaging and differentiation of living tissue with an ultra-high-frequency ultrasound probe (Yokosawa), 503
ultrasound shear wave imaging for bone (Ye), 833

von Biroblen, C., see Schuurbiers, J. C. H.
Bjørnstad, K., see Rabben, S. I.
Blaas, H.-G., see Berg, S.

Blood flow
40 MHz Doppler characterization of umbilical and dorsal aortic blood flow in the early mouse embryo (Phoon), 1275
a real-time two-dimensional pulsed-wave Doppler system (Scabia), 121
accuracy of coronary flow measurements performed by means of Doppler wires (Doriot), 221
application of autoregressive methods to multigate spectral analysis (Guidi), 585
blood flow velocity using transcranial Doppler velocimetry in the middle and anterior cerebral arteries: correlation with sample volume depth (Hart), 1267
calculating blood flow from Doppler measurements in the systemic-to-pulmonary artery shunt after the Norwood operation: a method based on computational fluid dynamics (Migliavacca), 209
cross-beam vector Doppler ultrasound for angle-independent velocity measurements (Dunmire), 1213
detection of stenoses in the anterior circulation using frequency-based transcranial color-coded sonography (Klötzsch), 579
Doppler flow measurement using surface integration of velocity vectors (SIVV): *in vitro* validation (Chew), 255
evaluation of posterior cerebral artery flow velocity by transcranial color-coded real-time sonography (Kimura), 195
feasibility of mitral flow assessment by echo-contrast ultrasound, Part I: determination of the properties of echo-contrast agents (Herman), 787
feasibility of mitral flow assessment by echo-contrast ultrasound, Part II: experimental study on a mechanical model of the left heart (Herman), 797
flow velocity and flow volume measurements in the extracranial carotid and

vertebral arteries in healthy adults: reference data and the effects of age (Scheel), 1261
high-frequency color flow imaging of the microcirculation (Goertz), 63
in vitro flow quantification with contrast power Doppler imaging (Ugolini), 113
in vitro validation of volumetric blood flow measurement using Doppler flow wire (Jenni), 1301
increased peak blood velocity in association with elevated blood pressure (Perret), 1387
pathological angioarchitecture in lymph nodes: underlying histopathologic findings (Tschammler), 1089
power Doppler-derived speckle tracking image of intraventricular flow in patients with anterior myocardial infarction: correlation with left ventricular thrombosis (Lin), 341
real-time 3-D ultrasound acquisition and display for cardiac volume and ejection fraction evaluation (Arbeille), 201
selective transmission of a focused Doppler ultrasound beam through a plastic layer (Thompson), 1333
study of blood flow parameters measured in femoral artery after exercise: correlation with maximum oxygen uptake (Piquet), 1001
systemic assessment of fetal hemodynamics by Doppler ultrasound (Chang), 777
the effects of temporal bone on transcranial Doppler ultrasound beam shape (Deverson), 239
the influence of variations in blood flow on pulsed Doppler ultrasonic heating of the cerebral cortex of the neonatal pig (Duggan), 647
transcranial Doppler blood velocity measurement - the effect of changes in velocity profile (Lunt), 1145
vertebral arteries and neck rotation: Doppler velocimeter interexaminer reliability (Haynes), 1363

Blood group typing
ultrasonic wave action upon the red blood cell agglutination *in vitro*, (Doubrovski), 655

Blood mimicking fluid
assessment of arterial stenosis in a flow model with power Doppler angiography: accuracy and observations on blood echogenicity (Cloutier), 1489
evaluation of an experimental system for the *in vitro* assessment of ultrasonic contrast agents (Sboros), 105
in vitro flow quantification with contrast power Doppler imaging (Ugolini), 113

Blood noise reduction
automated contour detection for high-frequency intravascular ultrasound imaging: a technique with blood noise reduction for edge enhancement (Takagi), 1033

Blood separation
plasma preparation from whole blood using ultrasound (Cousins), 881

Body centred scanning
body-centred visualisation for freehand 3-D ultrasound (Tuomola), 539

Bogousslavsky, J., see Devuyst, G.
Bom, N., see Bruining, N.
Bom, N., see Djoa, K. K.
Bom, N., see Schuurbiers, J. C. H.
Bom. N., see Hagenaars, T.

Bone
comparison of finite element and heated disc models of tissue heating by ultrasound (Doody), 1347
effects of ultrasound and 1,25-Dihydroxyvitamin D3 on growth factor secretion in co-cultures of osteoblasts and endothelial cells (Ito), 161
estimation of wrist fracture load using phalangeal speed of sound: an *in vitro* study (Njeh), 1517
measurements of phase velocity and group velocity in human calcaneus (Wear), 641
prevalence and risk factors of low quantitative ultrasound values of calcaneus in Korean elderly women (Kim), 35
relationships of ultrasonic backscatter with ultrasonic attenuation, sound speed and bone mineral density in human calcaneus (Wear), 1311
temperature dependence of ultrasonic attenuation in human calcaneus (Wear), 469
the effects of temporal bone on transcranial Doppler ultrasound beam shape (Deverson), 239
ultrasound shear wave imaging for bone (Ye), 833

Bonneau, H. N., see Takagi, A.

Book reviews
PACS - basic principles and applications (Huang), 497
quantitative ultrasound – assessment of osteoporosis and bone status (Truscott), 1539

Bouakaz, A., see de Jong, N.
Bouakaz, A., see Frinking, P. J. A.
Bouch, D. C., see Deverson, S.
Boughner, D. R., see deGroot, C.

Bovine tissue
comparative sensitivity of human and bovine erythrocytes to sonolysis by 1-MHz ultrasound (Miller), 1317
high-frequency backscatter and attenuation measurements of selected bovine tissues between 10 and 30 MHz (Maruvada), 1043

Boundary detection
an early vision-based snake model for ultrasound image segmentation (Chen), 273
automated contour detection for high-frequency intravascular ultrasound imaging: a technique with blood noise reduction for edge enhancement (Takagi), 1033
measurement of aortic arch distension wave with the echo-track technique (Studinger), 1285
non-invasive assessment of brachial artery endothelial function with digital ultrasound and 13-MHz scanning frequency: feasibility of measuring the true inner luminal diameter using the intima-lumen interface (Jarvisalo), 1257

power Doppler-derived speckle tracking image of intraventricular flow in patients with anterior myocardial infarction: correlation with left ventricular thrombosis (Lin), 341
reproducibility of calcified lesion quantification: a longitudinal intravascular ultrasound study (Hagenaars), 1075
reproducibility of volumetric quantification in intravascular ultrasound images (Hagenaars), 367
scanning techniques for three-dimensional forward viewing intravascular ultrasound imaging (Gatzoulis), 1461
segmentation of 3D intravascular ultrasonic images based on a random field model (Haas), 297
semiautomatic contour detection in ultrasound M-mode images (Rabben), 287
three-dimensional automatic quantitative analysis of intravascular ultrasound images (Kovalski), 527

Brachial artery
non-invasive assessment of brachial artery endothelial function with digital ultrasound and 13-MHz scanning frequency: feasibility of measuring the true inner luminal diameter using the intima-lumen interface (Jarvisalo), 1257

Brain
transcranial sonography of the brain parenchyma: comparison of B-mode imaging and tissue harmonic imaging (Puls), 189

Brain heating
MRI detection of the thermal effects of focused ultrasound on the brain (Vykhodtseva), 871
the influence of variations in blood flow on pulsed Doppler ultrasonic heating of the cerebral cortex of the neonatal pig (Duggan), 647

Brain tumour
ultrasound enhancement of liposome-mediated cell transfection is caused by cavitation effects (Koch), 897

Brandberg, J., see Chew, M. S.
Brayman, A. A., see Miller, M. W.

Breast
3D spatial compounding of ultrasound images using image-based non-rigid registration (Krucker), 1475
breast cancer diagnosis using self-organizing map for sonography (Chen), 405
computerized ultrasound B-scan characterization of breast nodules (Lefebvre), 1421
nonlinear stress-strain relationships in tissue and their effect on the contrast-to-noise ratio in elastograms (Varghese), 839
relevance of sonographic B-mode criteria and computer-aided ultrasonic tissue characterization in differential diagnosis of solid breast masses (Huber), 1243
use of the K-distribution for classification of breast masses (Shankar), 1503

Bronson, R. T., see Vykhodtseva, N.
Bruce, M., see Tiemann, K.
Bruining, N., Lancée, C., Roelandt, J. R. T. C. and Bom, N.: three-dimensional echocardiography paves the way toward virtual reality, 1065

Bubbles
acoustic droplet vaporization for therapeutic and diagnostic applications (Kripfgans), 1177
an *in vitro* comparison of ultrasonic contrast agents in solutions with varying air levels (Sboros), 807
bioeffects of positive and negative acoustic pressures in mice infused with microbubbles (Dalecki), 1327
can high-frequency sound affect gas bubble dynamics? A study in the intact prawn palaemon elegans (Arjeli), 1511
cavitational mechanisms in ultrasound-accelerated thrombolysis at 1 MHz (Everbach), 1153
destruction of contrast microbubbles and the association with inertial cavitation (Shi), 1009
experimental study of the effects of Optison® concentration on sonoporation *in vitro* (Ward), 1169
feasibility of mitral flow assessment by echo-contrast ultrasound, Part I: determination of the properties of echo-contrast agents (Herman), 787
fundamental studies on contrast images from different-sized microbubbles: analytical and experimental studies (Soetanto), 81
in vitro flow quantification with contrast power Doppler imaging (Ugolini), 113
influence of environmental conditions on a new surfactant-based contrast agent: ST68 (Basude), 621
optical imaging of contrast agent microbubbles in an ultrasound field with a 100-MHz camera (de Jong), 487
predicting the acoustic response of a microbubble population for contrast imaging in medical ultrasound (Chin), 1293
quantification of microbubble destruction of three fluorocarbon-filled ultrasonic contrast agents (Moran), 629
sonoporation of monolayer cells by diagnostic ultrasound activation of contrast-agent gas bodies (Miller), 661
stimulated acoustic emission: pseudo-Doppler shifts seen during the destruction of nonmoving microbubbles (Tiemann), 1161
study of ultrasonic contrast agents using a dual-frequency band technique (Deng), 819
the experimental investigation of ultrasonic properties for a sonicated contrast agent and its application in biomedicine (Zhang), 347
the influence of ultrasound frequency and gas-body composition on the contrast agent-mediated enhancement of vascular bioeffects in mouse intestine (Miller), 307
the search for cavitation *in vivo* (Carstensen), 1377
ultrasonic characterization of the nonlinear properties of contrast microbubbles (Shi), 93

Burattini, R.: concerning physiological interpretation of an impedance index derived from transcranial Doppler study, 1199
Burns, P. N., see Chin, C. T.
Burns, P. N., see Goertz, D. E.

C

Cahill, M. D. and Humphrey, V. F.: a theoretical investigation of the effect of nonlinear propagation on measurements of mechanical index, 433
Cahill, M. D., see Meaney, P. M.
Cain, C., see Chapelon, J.-Y.

Calcaneus
measurements of phase velocity and group velocity in human calcaneus (Wear), 641
prevalence and risk factors of low quantitative ultrasound values of calcaneus in Korean elderly women (Kim), 35
relationships of ultrasonic backscatter with ultrasonic attenuation, sound speed and bone mineral density in human calcaneus (Wear), 1311
temperature dependence of ultrasonic attenuation in human calcaneus (Wear), 469

Calzolai, M., see Scabia, M.
Canard, P., see Chew, M. S.

Canine
delineation of the extracellular determinants of ultrasonic scattering from elastic arteries (Hall), 613

Capineri, L., see Scabia, M.

Cardiac output
colour Doppler ultrasound in vesicovaginal fistulas (Volkmer), 771
direct ultrasound application had no effect on cardiac hemodynamic performance in a baseline isolated rat heart model (Greenberg), 315
Doppler flow measurement using surface integration of velocity vectors (SIVV): *in vitro* validation (Chew), 255
power Doppler-derived speckle tracking image of intraventricular flow in patients with anterior myocardial infarction: correlation with left ventricular thrombosis (Lin), 341
real-time 3-D ultrasound acquisition and display for cardiac volume and ejection fraction evaluation (Arbeille), 201
systemic assessment of fetal hemodynamics by Doppler ultrasound (Chang), 777

Cardiac gating
simultaneous use of two ultrasound scanners for motion-gated three-dimensional fetal echocardiography (Deng), 1021

Carson, P. L., see Kripfgans, O. D.
Carson, P. L., see Krucker, J. F.
Carstensen, E. L., Gracewski, S. and Dalecki, D.: the search for cavitation *in vivo* , 1377
Carstensen, E. L., see Dalecki, D.
Casalis, S., see Grosso, I.
Casset, D., see Arbeille, P.
Cathignol, D., see Chapelon, J.-Y.
Cathignol. D., see Lafon, C.

Cationic liposomes
ultrasound enhancement of liposome-mediated cell transfection is caused by cavitation effects (Koch), 897

Cavitation
a theoretical investigation of the effect of nonlinear propagation on measurements of mechanical index (Cahill), 433
acoustic droplet vaporization for therapeutic and diagnostic applications (Kripfgans), 1177
cavitational mechanisms in ultrasound-accelerated thrombolysis at 1 MHz (Everbach), 1153
comparative sensitivity of human and bovine erythrocytes to sonolysis by 1-MHz ultrasound (Miller), 1317
experimental study of the effects of Optison® concentration on sonoporation *in vitro* (Ward), 1169
improvement of stone fragmentation during shock-wave lithotripsy using a combined EH/PEAA shock-wave generator - *in vitro* experiments (Xi), 457
new piezoelectric transducers for therapeutic ultrasound (Chapelon), 153
stimulated acoustic emission: pseudo-Doppler shifts seen during the destruction of nonmoving microbubbles (Tiemann), 1161
the influence of ultrasound frequency and gas-body composition on the contrast agent-mediated enhancement of vascular bioeffects in mouse intestine (Miller), 307
the search for cavitation *in vivo* (Carstensen), 1377
ultrasound enhancement of liposome-mediated cell transfection is caused by cavitation effects (Koch), 897

Centrifugation
plasma preparation from whole blood using ultrasound (Cousins), 881

Cerebella volume
assessment of fetal cerebellar volume using three-dimensional ultrasound (Chang), 981
three-dimensional ultrasound in the assessment of fetal cerebellar transverse and antero-posterior diameters (Chang), 175

Cerebellum
assessment of fetal cerebellar volume using three-dimensional ultrasound (Chang), 981
three-dimensional ultrasound in the assessment of fetal cerebellar transverse and antero-posterior diameters (Chang), 175

Cerebral artery
blood flow velocity using transcranial Doppler velocimetry in the middle and anterior cerebral arteries: correlation with sample volume depth (Hart), 1267
detection of stenoses in the anterior circulation using frequency-based transcranial color-coded sonography (Klötzsch), 579
evaluation of posterior cerebral artery flow velocity by transcranial color-coded real-time sonography (Kimura), 195
the effects of beam shape on the ability to predict changes in vessel size from Doppler signal power (Deverson), 245
the effects of temporal bone on transcranial Doppler ultrasound beam shape (Deverson), 239

the matching pursuit: a new method of characterizing microembolic signals? (Devuyst), 1051
transcranial Doppler blood velocity measurement - the effect of changes in velocity profile (Lunt), 1145

Cerri, G. G., see Souza de Oliveira, I. R.

Cervical vertebrae
vertebral arteries and neck rotation: Doppler velocimeter and duplex results compared (Haynes), 57
vertebral arteries and neck rotation: Doppler velocimeter interexaminer reliability (Haynes), 1363

Céspedes, E. I., de Korte, C. L. and van der Steen, A. F. W.: intraluminal ultrasonic palpation: assessment of local and cross-sectional tissue stiffness, 385
Chan, M., see Soetanto, K.
Chan, S., see Zheng, Y. P.
Chang, C.-H., Chang, F.-M., Yu, C.H., Ko, H.-C. and Chen, H.-Y.: assessment of fetal cerebellar volume using three-dimensional ultrasound, 981
Chang, C.-H., Chang, F.-M., Yu, C.-H., Ko, H.-C. and Chen, H.-Y.: three-dimensional ultrasound in the assessment of fetal cerebellar transverse and antero-posterior diameters, 175
Chang, C.-H., Chang, F.-M., Yu, C.-H., Liang, R.-I., Ko, H.-C. and Chen. H.-Y.: fetal ear assessment and prenatal detection of aneuploidy by the quantitative three-dimensional ultrasonography, 743
Chang, C.-H., Chang, F.-M., Yu, C.-H., Liang, R.-I., Ko, H.-C. and Chen, H.-Y.: systemic assessment of fetal hemodynamics by Doppler ultrasound, 777
Chang, C.-H., see Yu, C.-H.
Chang, F.-M., see Chang, C.-H.
Chang, F.-M., see Yu, C.-H.
Chang, R.-F., see Chen, D.-R.
Chapelon, J. Y., see Lafon, C.
Chapelon, J.-Y., Cathignol, D., Cain, C., Ebbini, E., Kluiwstra, J.-U., Sapozhnikov, O. A., Fleury, G., Berriet, R., Chupin, L. and Guey, J.-L.: new piezoelectric transducers for therapeutic ultrasound, 153
Chatelain, P., see Doriot, P.-A.
Chen, C.-M., Lu, H. H.-S. and Lin, Y.-C.: an early vision-based snake model for ultrasound image segmentation, 273
Chen, D.-R., Chang, R.-F. and Huang, Y.-L.: breast cancer diagnosis using self-organizing map for sonography, 405
Chen, H.-Y., see Chang, C.-H.
Chen, H.-Y., see Yu, C.-H.
Chen, T. M.-K., see Cheng, J.
Chen, W.-J., see Yuan, A.
Chen. H.-Y., see Chang, C.-H.
Cheng, J., Chun-Y., Metreweli, C., Chen, T. M.-K. and Tang, S.-P.: correlation of ultrasonographic imaging of congenital muscular torticollis with clinical assessment in infants, 1237
Chew, M. S., Brandberg, J., Canard, P., Sloth, E., Ask, P. and Hasenkam, J. M.: Doppler flow measurement using surface integration of velocity vectors (SIVV): *in vitro* validation, 255
Chiang, F.-T., see Lin, L.-C.

Child, S. Z., see Dalecki, D.
Chin, C. T. and Burns, P. N.: predicting the acoustic response of a microbubble population for contrast imaging in medical ultrasound, 1293
Chiu, J.-F., see Ward, M.

Chiropractice
vertebral arteries and neck rotation: Doppler velocimeter and duplex results compared (Haynes), 57
vertebral arteries and neck rotation: Doppler velocimeter interexaminer reliability (Haynes), 1363

Choi, B. I., see Kim, T. K.
Choi, B. Y., see Kim, T. K.
Choi, C. S., see Kim, C.-H.
Choi, Y. K. C., see Zheng, Y. P.
Christopher, D. A., see Foster, F. S.
Christopher, D. A., see Goertz, D. E.
Chung, C. Y., see Liu, J.-B.
Chun-Y., see Cheng, J.
Chupin, L., see Chapelon, J.-Y.
Cloutier, G., Qin, Z., Garcia, D., Soulez, G., Oliva, V. and Durand, L-G.: assessment of arterial stenosis in a flow model with power Doppler angiography: accuracy and observations on blood echogenicity, 1489
Coakley, W. T., see Cousins, C. M.
Cobet, U., see Koch, S.
Coleman, D. J., see Deng, C. X.
Coleman, D., see Rakebrandt, F.

Collagen
delineation of the extracellular determinants of ultrasonic scattering from elastic arteries (Hall), 613

Colour Doppler
colour Doppler ultrasound in vesicovaginal fistulas (Volkmer), 771
colour Doppler ultrasound: a new index improves the diagnosis of renal artery stenosis (Souza de Oliveira), 41
detection of stenoses in the anterior circulation using frequency-based transcranial color-coded sonography (Klötzsch), 579
evaluation of 3-D colour Doppler ultrasound for the measurement of proximal isovelocity surface area (deGroot), 989
from digital image processing of colour Doppler M-mode to noninvasive evaluation of the left ventricular diastolic function: a dedicated software package (Tonti), 603
high-frequency color flow imaging of the microcirculation (Goertz), 63
power Doppler-derived speckle tracking image of intraventricular flow in patients with anterior myocardial infarction: correlation with left ventricular thrombosis (Lin), 341
reactive pulmonary artery vasoconstriction in pulmonary consolidation evaluated by color Doppler ultrasonography (Yuan), 49

Comparison
acoustic shear-wave imaging using echo ultrasound compared to magnetic resonance elastography (Dutt), 397
automated contour detection for high-frequency intravascular ultrasound

imaging: a technique with blood noise reduction for edge enhancement (Takagi), 1033
blood flow velocity using transcranial Doppler velocimetry in the middle and anterior cerebral arteries: correlation with sample volume depth (Hart), 1267
comparison of finite element and heated disc models of tissue heating by ultrasound (Doody), 1347
comparison of time-frequency estimators for peripheral embolus detection (Roy), 419
correlation of ultrasonographic imaging of congenital muscular torticollis with clinical assessment in infants (Cheng), 1237
pathological angioarchitecture in lymph nodes: underlying histopathologic findings (Tschammler), 1089
relationship between ultrasound texture classification images and histology of atherosclerotic plaque (Rakebrandt), 1393,
reproducibility of volumetric quantification in intravascular ultrasound images (Hagenaars), 367
study of blood flow parameters measured in femoral artery after exercise: correlation with maximum oxygen uptake (Piquet), 1001
vertebral arteries and neck rotation: Doppler velocimeter and duplex results compared (Haynes), 57 transcranial sonography of the brain parenchyma: comparison of B-mode imaging and tissue harmonic imaging (Puls), 189
vertebral arteries and neck rotation: Doppler velocimeter interexaminer reliability (Haynes), 1363

Compliance
clinical evaluation of sonoelasticity measurement in liver using ultrasonic imaging of internal forced low-frequency vibration (Sanada), 1455
intraluminal ultrasonic palpation: assessment of local and cross-sectional tissue stiffness (Céspedes), 385
measurement of aortic arch distension wave with the echo-track technique (Studinger), 1285

Compounding
3D spatial compounding of ultrasound images using image-based non-rigid registration (Krucker), 1475
in vitro spatial compound scanning for improved visualization of atherosclerosis (Jespersen), 1357
reconstruction and visualization of irregularly sampled three- and four-dimensional ultrasound data for cerebrovascular applications (Meairs), 263
three-dimensional ultrasound imaging of the rotator cuff: spatial compounding and tendon thickness measurement (Leotta), 509

Computer aided diagnosis
a new algorithm for off-line automated emboli detection based on the pseudo-wigner power distribution and the dual gate TCD technique (Mess), 413
breast cancer diagnosis using self-organizing map for sonography (Chen), 405
comparison of time-frequency estimators for peripheral embolus detection (Roy), 419
computerized ultrasound B-scan characterization of breast nodules (Lefebvre), 1421

grey-scale contrast enhancement in rabbit liver with DMP115 at different power levels (Maruyama), 1429
relevance of sonographic B-mode criteria and computer-aided ultrasonic tissue characterization in differential diagnosis of solid breast masses (Huber), 1243
three-dimensional automatic quantitative analysis of intravascular ultrasound images (Kovalski), 527
three-dimensional echocardiography paves the way toward virtual reality (Bruining), 1065

Congenital heart disease
calculating blood flow from Doppler measurements in the systemic-to-pulmonary artery shunt after the Norwood operation: a method based on computational fluid dynamics (Migliavacca), 209

Congenital muscular torticollis
correlation of ultrasonographic imaging of congenital muscular torticollis with clinical assessment in infants (Cheng), 1237

Contrast-to-noise ratio
grey-scale contrast enhancement in rabbit liver with DMP115 at different power levels (Maruyama), 1429
nonlinear stress-strain relationships in tissue and their effect on the contrast-to-noise ratio in elastograms (Varghese), 839

Contrast agent
acoustic droplet vaporization for therapeutic and diagnostic applications (Kripfgans), 1177
an *in vitro* comparison of ultrasonic contrast agents in solutions with varying air levels (Sboros), 807
bioeffects of positive and negative acoustic pressures in mice infused with microbubbles (Dalecki), 1327
cavitational mechanisms in ultrasound-accelerated thrombolysis at 1 MHz (Everbach), 1153
colour Doppler ultrasound in vesicovaginal fistulas (Volkmer), 771
contrast-enhanced power Doppler harmonic imaging-influence on visualization of renal vasculature (Huber), 1109
destruction of contrast microbubbles and the association with inertial cavitation (Shi), 1009
evaluation of an experimental system for the *in vitro* assessment of ultrasonic contrast agents (Sboros), 105
experimental study of the effects of Optison® concentration on sonoporation *in vitro* (Ward), 1169
feasibility of mitral flow assessment by echo-contrast ultrasound, Part I: determination of the properties of echo-contrast agents (Herman), 787
feasibility of mitral flow assessment by echo-contrast ultrasound, Part II: experimental study on a mechanical model of the left heart (Herman), 797
fundamental studies on contrast images from different-sized microbubbles: analytical and experimental studies (Soetanto), 81
grey-scale contrast enhancement in rabbit liver with DMP115 at different power levels (Maruyama), 1429
in vitro flow quantification with contrast power Doppler imaging (Ugolini), 113

influence of environmental conditions on a new surfactant-based contrast agent: ST68 (Basude), 621
predicting the acoustic response of a microbubble population for contrast imaging in medical ultrasound (Chin), 1293
quantification of microbubble destruction of three fluorocarbon-filled ultrasonic contrast agents (Moran), 629
sonoporation of monolayer cells by diagnostic ultrasound activation of contrast-agent gas bodies (Miller), 661
stimulated acoustic emission: pseudo-Doppler shifts seen during the destruction of nonmoving microbubbles (Tiemann), 1161
study of ultrasonic contrast agents using a dual-frequency band technique (Deng), 819
the experimental investigation of ultrasonic properties for a sonicated contrast agent and its application in biomedicine (Zhang), 347
the influence of ultrasound frequency and gas-body composition on the contrast agent-mediated enhancement of vascular bioeffects in mouse intestine (Miller), 307
ultrasonic characterization of the nonlinear properties of contrast microbubbles (Shi), 93
ultrasound contrast imaging: current and new potential methods (Frinking), 965

Coronary artery
accuracy of coronary flow measurements performed by means of Doppler wires (Doriot), 221
on the IVUS plaque volume error in coronary arteries when neglecting curvature (Schuurbiers), 1403,
ultrasonic tissue characterization evaluates myocardial viability and ischemia in patients with coronary artery disease (Lin), 759

Corti, L., see Guidi, G.
Cousins, C. M., Holownia, P., Hawkes, J. J., Limaye, M. S., Price, C. P., Keay, P. J. and Coakley, W. T.: plasma preparation from whole blood using ultrasound, 881
Crawford, D. C., see Rakebrandt, F.

Cross-beam Doppler
cross-beam vector Doppler ultrasound for angle-independent velocity measurements (Dunmire), 1213

Cross-correlation
direct strain estimation in elastography using spectral cross-correlation (Varghese), 1525
nonlinear stress-strain relationships in tissue and their effect on the contrast-to-noise ratio in elastograms (Varghese), 839

Cuypers, M. H. M., see Kaputsa, L.
Czembirek, H., see Huber, S.

D

Daffertshofer, M., see Spengos, K.
Dalecki, D., Child, S. Z., Raeman, C. H., Xing, C., Gracewski, S. and Carstensen, E. L.: bioeffects of positive and negative acoustic pressures in mice infused with microbubbles, 1327

Dalecki, D., see Carstensen, E. L.
Dalmay, F., see Piquet, L.
Danes, J., see Huber, S.
Daniëls, O., see Kaputsa, L.

Decorrelation
optimum scan spacing for three-dimensional ultrasound by speckle statistics (Smith), 551

Degassing
evaluation of an experimental system for the *in vitro* assessment of ultrasonic contrast agents (Sboros), 105

Delorme, S., see Huber, S.
Delouche, A., see Ugolini, P.
Dempfle, C. E., see Spengos, K.
Denaro, F. M., see Tonti, G.
Deng, C. X., Lizzi, F. L., Kalisz, A., Rosado, A., Silverman, R. H. and Coleman, D. J.: study of ultrasonic contrast agents using a dual-frequency band technique, 819
Deng, J. Ruff, C. F., Linney, A. D., Lees, W. R., Hanson, M. A. and Rodeck, C. H.: simultaneous use of two ultrasound scanners for motion-gated three-dimensional fetal echocardiography, 1021
Dent, C. L., Scott, M. J., Wickline, S. A. and Hall, C. S.: high-frequency ultrasound for quantitative characterization of myocardial edema, 375
Despland, P.-A., see Devuyst, G.

Destruction
destruction of contrast microbubbles and the association with inertial cavitation (Shi), 1009

Developmental biology
40 MHz Doppler characterization of umbilical and dorsal aortic blood flow in the early mouse embryo (Phoon), 1275
advances in ultrasound biomicroscopy (Foster), 1

Deverson, S. and Evans, D. H.: the effects of beam shape on the ability to predict changes in vessel size from Doppler signal power, 245
Deverson, S. and Evans, D. H.: using Doppler signal power to detect changes in vessel size: a feasibility study using a wall-less flow phantom, 593
Deverson, S., Evans, D. H. and Bouch, D. C.: the effects of temporal bone on transcranial Doppler ultrasound beam shape, 239
Devolder, S., see Lafaut, J.-P.
Devuyst, G., Vesin, J.-M., Despland, P.-A. and Bogousslavsky, J.: the matching pursuit: a new method of characterizing microembolic signals?, 1051

Diabetic
biomechanical assessment of plantar foot tissue in diabetic patients using an ultrasound indentation system (Zheng), 451
echocardiographic texture analysis using the wavelet transform: differentiation of early heart muscle disease (Kerut), 1445

Diebold, B., see Ugolini, P.

Diffraction
effects of phase aberration on high frame rate imaging (Lu), 143

Disc
intervertebral disc structure: observation by a novel use of ultrasound imaging (McNally), 751

Dispersion
measurements of phase velocity and group velocity in human calcaneus (Wear), 641
Djoa, K. K., de Jong, N., van Egmond, F. C., Kasprzak, J. D., Vletter, W. B., Lancée, C. T., van der Steen, A. F. W., Bom, N. and Roelandt, J. R. T. C.: a fast rotating scanning unit for real-time three-dimensional echo data acquisition, 863

DNA
ultrasound enhancement of liposome-mediated cell transfection is caused by cavitation effects (Koch), 897

Dobutamine
ultrasonic tissue characterization evaluates myocardial viability and ischemia in patients with coronary artery disease (Lin), 759

Doody, C., Duck, F. A. and Humphrey, V. F.: comparison of finite element and heated disc models of tissue heating by ultrasound, 1347

Doppler
40 MHz Doppler characterization of umbilical and dorsal aortic blood flow in the early mouse embryo (Phoon), 1275
a new algorithm for off-line automated emboli detection based on the pseudo-wigner power distribution and the dual gate TCD technique (Mess), 413
a real-time two-dimensional pulsed-wave Doppler system (Scabia), 121
accuracy of coronary flow measurements performed by means of Doppler wires (Doriot), 221
acoustic droplet vaporization for therapeutic and diagnostic applications (Kripfgans), 1177
advances in ultrasound biomicroscopy (Foster), 1
application of autoregressive methods to multigate spectral analysis (Guidi), 585
assessment of arterial stenosis in a flow model with power Doppler angiography: accuracy and observations on blood echogenicity (Cloutier), 1489
assessment of myocardial velocities in healthy children using tissue Doppler imaging (Kaputsa), 229
blood flow velocity using transcranial Doppler velocimetry in the middle and anterior cerebral arteries: correlation with sample volume depth (Hart), 1267
calculating blood flow from Doppler measurements in the systemic-to-pulmonary artery shunt after the Norwood operation: a method based on computational fluid dynamics (Migliavacca), 209
colour Doppler ultrasound in vesicovaginal fistulas (Volkmer), 771
colour Doppler ultrasound: a new index improves the diagnosis of renal artery stenosis (Souza de Oliveira), 41

contrast-enhanced power Doppler harmonic imaging-influence on visualization of renal vasculature (Huber), 1109
cross-beam vector Doppler ultrasound for angle-independent velocity measurements (Dunmire), 1213
detection of stenoses in the anterior circulation using frequency-based transcranial color-coded sonography (Klötzsch), 579
differentiation between true microembolic signals and artefacts using an arbitrary sample volume (Georgiadis), 493
Doppler flow measurement using surface integration of velocity vectors (SIVV): *in vitro* validation (Chew), 255
evaluation of 3-D colour Doppler ultrasound for the measurement of proximal isovelocity surface area (deGroot), 989
evaluation of posterior cerebral artery flow velocity by transcranial color-coded real-time sonography (Kimura), 195
flow velocity and flow volume measurements in the extracranial carotid and vertebral arteries in healthy adults: reference data and the effects of age (Scheel), 1261
high-frequency color flow imaging of the microcirculation (Goertz), 63
in vitro flow quantification with contrast power Doppler imaging (Ugolini), 113
intrinsic spectral broadening (ISB) in ultrasound Doppler as a combination of transit time and local geometrical broadening (Guidi), 853
power Doppler-derived speckle tracking image of intraventricular flow in patients with anterior myocardial infarction: correlation with left ventricular thrombosis (Lin), 341
predicting the acoustic response of a microbubble population for contrast imaging in medical ultrasound (Chin), 1293
reactive pulmonary artery vasoconstriction in pulmonary consolidation evaluated by color Doppler ultrasonography (Yuan), 49
selective transmission of a focused Doppler ultrasound beam through a plastic layer (Thompson), 1333 increased peak blood velocity in association with elevated blood pressure (Perret), 1387
stimulated acoustic emission: pseudo-Doppler shifts seen during the destruction of nonmoving microbubbles (Tiemann), 1161
study of blood flow parameters measured in femoral artery after exercise: correlation with maximum oxygen uptake (Piquet), 1001
the DopFet system: a new ultrasonic Doppler system for monitoring and characterization of fetal movement (Karlsson), 1117
the effects of beam shape on the ability to predict changes in vessel size from Doppler signal power (Deverson), 245
the influence of variations in blood flow on pulsed Doppler ultrasonic heating of the cerebral cortex of the neonatal pig (Duggan), 647
the matching pursuit: a new method of characterizing microembolic signals? (Devuyst), 1051
tissue Doppler imaging in detection of myocardial dysfunction in survivors of childhood cancer treated with anthracyclines (Kaputsa), 1099
transcranial Doppler blood velocity measurement - the effect of changes in velocity profile (Lunt), 1145
ultrasonographic assessment for response to radiochemotherapy of metastatic cervical lymph nodes in head and neck cancer: usefulness of grey-scale and color Doppler sonography (Yusa), 1081
ultrasound contrast imaging: current and new potential methods (Frinking), 965

ultrasound enhancement of liposome-mediated cell transfection is caused by cavitation effects (Koch), 897
using Doppler signal power to detect changes in vessel size: a feasibility study using a wall-less flow phantom (Deverson), 593
vertebral arteries and neck rotation: Doppler velocimeter and duplex results compared (Haynes), 57
vertebral arteries and neck rotation: Doppler velocimeter interexaminer reliability (Haynes), 1363

Doppler, 2D
a real-time two-dimensional pulsed-wave Doppler system (Scabia), 121
cross-beam vector Doppler ultrasound for angle-independent velocity measurements (Dunmire), 1213
Doppler flow measurement using surface integration of velocity vectors (SIVV): *in vitro* validation (Chew), 255

Doriot, P.-A., Dorsaz, P.-A., Dorsaz, L. and Chatelain, P.: accuracy of coronary flow measurements performed by means of Doppler wires, 221
Dorsaz, L., see Doriot, P.-A.
Dorsaz, P.-A., see Doriot, P.-A.
Doubrovski, V. A. and Dvoretski, K. N.: ultrasonic wave action upon the red blood cell agglutination *in vitro*, 655
Drangova, M., see deGroot, C.
Dubbins, P., see Atiomo, W. U.
Dubini, G., see Migliavacca, F.
Duck, F. A., see Barnett, S. B.
Duck, F. A., see Doody, C.
Duck, F. A., see Starritt, H. C.
Duckworth, J. W., see Basude, R.
Duggan, P. M., Murcott, M. F., McPhee, A. J. and Barnett, S. B.: the influence of variations in blood flow on pulsed Doppler ultrasonic heating of the cerebral cortex of the neonatal pig, 647
Dumane, V. A., see Shankar, P. M.
Dunmire, B., Beach, K. W., Labs, K.-H., Plett, M. and Strandness, D. E. Jr.: cross-beam vector Doppler ultrasound for angle-independent velocity measurements, 1213
Durand, L-G., see Cloutier, G.
Dutt, V., Kinnick, R. R., Muthupillai, R., Oliphant, T. E., Ehman, R. L. and Greenleaf, J. F.: acoustic shear-wave imaging using echo ultrasound compared to magnetic resonance elastography, 397
Dvoretski, K. N., see Doubrovski, V. A.

E

Ear
fetal ear assessment and prenatal detection of aneuploidy by the quantitative three-dimensional ultrasonography (Chang), 743

Ebara, M., see Sanada, M.
Ebbini, E., see Chapelon, J.-Y.

Echo-reduction
a new anechoic material for medical ultrasonic applications (Zeqiri), 481

Echo-cardiography
40 MHz Doppler characterization of umbilical and dorsal aortic blood flow in the early mouse embryo (Phoon), 1275
assessment of myocardial velocities in healthy children using tissue Doppler imaging (Kaputsa), 229
Doppler flow measurement using surface integration of velocity vectors (SIVV): *in vitro* validation (Chew), 255
echocardiographic texture analysis using the wavelet transform: differentiation of early heart muscle disease (Kerut), 1445
physical properties of the mitral valve tissue assessed by tissue sound speed in cardiac amyloidosis: relationship to the severity of mitral regurgitation (Masugata), 1191
real-time 3-D ultrasound acquisition and display for cardiac volume and ejection fraction evaluation (Arbeille), 201
semiautomatic contour detection in ultrasound M-mode images (Rabben), 287
three-dimensional echocardiography paves the way toward virtual reality (Bruining), 1065
tissue Doppler imaging in detection of myocardial dysfunction in survivors of childhood cancer treated with anthracyclines (Kaputsa), 1099
ultrasonic tissue characterization evaluates myocardial viability and ischemia in patients with coronary artery disease (Lin), 759 863.simultaneous use of two ultrasound scanners for motion-gated three-dimensional fetal echocardiography (Deng), 1021
ultrasonic tissue characterization with integrated backscatter during inotropic stimulation (Wu), 1413

Eder, V., see Arbeille, P.
van Egmond, F. C., see Djoa, K. K.
Ehman, R. L., see Dutt, V.
Einav, S., see Herman, B.

Elasticity
acoustic shear-wave imaging using echo ultrasound compared to magnetic resonance elastography (Dutt), 397
clinical evaluation of sonoelasticity measurement in liver using ultrasonic imaging of internal forced low-frequency vibration (Sanada), 1455
delineation of the extracellular determinants of ultrasonic scattering from elastic arteries (Hall), 613
direct strain estimation in elastography using spectral cross-correlation (Varghese), 1525
intraluminal ultrasonic palpation: assessment of local and cross-sectional tissue stiffness (Céspedes), 385
measurement of aortic arch distension wave with the echo-track technique (Studinger), 1285
nonlinear stress-strain relationships in tissue and their effect on the contrast-to-noise ratio in elastograms (Varghese), 839

Elastography
clinical evaluation of sonoelasticity measurement in liver using ultrasonic imaging of internal forced low-frequency vibration (Sanada), 1455
direct strain estimation in elastography using spectral cross-correlation (Varghese), 1525
nonlinear stress-strain relationships in tissue and their effect on the contrast-to-noise ratio in elastograms (Varghese), 839

Eldevik, O. P., see Kripfgans, O. D.

Emboli
a new algorithm for off-line automated emboli detection based on the pseudo-wigner power distribution and the dual gate TCD technique (Mess), 413
comparison of time-frequency estimators for peripheral embolus detection (Roy), 419
differentiation between true microembolic signals and artefacts using an arbitrary sample volume (Georgiadis), 493
the effects of temporal bone on transcranial Doppler ultrasound beam shape (Deverson), 239
the matching pursuit: a new method of characterizing microembolic signals? (Devuyst), 1051

Endoluminal
non-invasive assessment of brachial artery endothelial function with digital ultrasound and 13-MHz scanning frequency: feasibility of measuring the true inner luminal diameter using the intima-lumen interface (Jarvisalo), 1257
validation of volume measurements in esophageal pseudotumors using 3D endoluminal ultrasound (Liu), 735

Endothelial function
non-invasive assessment of brachial artery endothelial function with digital ultrasound and 13-MHz scanning frequency: feasibility of measuring the true inner luminal diameter using the intima-lumen interface (Jarvisalo), 1257

Epidermis
ultrasound-induced intercellular space widening in fish epidermis (Frenkel), 473

Ermert, H., see Haas, C.

Errors
accuracy of in-vitro volume estimation of small structures using three-dimensional ultrasound (Berg), 425
automated contour detection for high-frequency intravascular ultrasound imaging: a technique with blood noise reduction for edge enhancement (Takagi), 1033
errors in ultrasound digital image distance measurements (Goldstein), 1125
the effect of acoustic velocity on phantom measurements (Goldstein), 1133
three-dimensional ultrasound imaging of the rotator cuff: spatial compounding and tendon thickness measurement (Leotta), 509
transcranial Doppler blood velocity measurement - the effect of changes in velocity profile (Lunt), 1145
validation of volume measurements in esophageal pseudotumors using 3D endoluminal ultrasound (Liu), 735

Erythrocytes
comparative sensitivity of human and bovine erythrocytes to sonolysis by 1-MHz ultrasound (Miller), 1317

Esophageal tumour
validation of volume measurements in esophageal pseudotumors using 3D endoluminal ultrasound (Liu), 735

Espinoza, C., see Kerut, E. K.
van Essen, J. A., see Hagenaars, T.

ESWL
improvement of stone fragmentation during shock-wave lithotripsy using a combined EH/PEAA shock-wave generator - *in vitro* experiments (Xi), 457
schlieren photography study of energy absorption by uric acid nuclei (Lafaut), 335
the search for cavitation *in vivo* (Carstensen), 1377

Evans, D. H., see Deverson, S.
Everbach, E. C. and Francis, C. W.: cavitational mechanisms in ultrasound-accelerated thrombolysis at 1 MHz, 1153

F

Falteri, S., see Guidi, G.
Fan, B., see Njeh, C. F.

Femoral artery
study of blood flow parameters measured in femoral artery after exercise: correlation with maximum oxygen uptake (Piquet), 1001

Fenster, A., see deGroot, C.
Fenster, A., see Smith, W. L.

Fetal hemodynamics
systemic assessment of fetal hemodynamics by Doppler ultrasound (Chang), 777

Fetus
40 MHz Doppler characterization of umbilical and dorsal aortic blood flow in the early mouse embryo (Phoon), 1275
assessment of fetal cerebellar volume using three-dimensional ultrasound (Chang), 981
fetal renal volume in normal gestation: a three-dimensional ultrasound study (Yu), 1253
simultaneous use of two ultrasound scanners for motion-gated three-dimensional fetal echocardiography (Deng), 1021
systemic assessment of fetal hemodynamics by Doppler ultrasound (Chang), 777
the DopFet system: a new ultrasonic Doppler system for monitoring and characterization of fetal movement (Karlsson), 1117
three-dimensional ultrasound in the assessment of fetal cerebellar transverse and antero-posterior diameters (Chang), 175

de Feyter, P. J., see Schuurbiers, J. C. H.

Fibrinolysis
acceleration of thrombolysis with ultrasound through the cranium in a flow model (Spengos), 889

Fignon, A., see Karlsson, B.
Finkelstein, A., see Greenberg, S.

Fish
ultrasound-induced intercellular space widening in fish epidermis (Frenkel), 473

Fitzgerald, P. J., see Takagi, A.
Fleury, G., see Chapelon, J.-Y.

Flow profiles
application of autoregressive methods to multigate spectral analysis (Guidi), 585
evaluation of 3-D colour Doppler ultrasound for the measurement of proximal isovelocity surface area (deGroot), 989
measurement of acoustic streaming using magnetic resonance (Starritt), 321

Foot
biomechanical assessment of plantar foot tissue in diabetic patients using an ultrasound indentation system (Zheng), 451

Forsberg, F., see Liu, J.-B.
Forsberg, F., see Shankar, P. M.
Forsberg, F., see Shi, W. T.
Fort, A., see Scabia, M.
Foster, F. S., Pavlin, C. J., Harasiewicz, K. A., Christopher, D. A. and Turnbull, D. H.: advances in ultrasound biomicroscopy, 1
Foster, F. S., see Goertz, D. E.
Foulquière, K., see Karlsson, B.

Fourier methods
application of autoregressive methods to multigate spectral analysis (Guidi), 585
effects of phase aberration on high frame rate imaging (Lu), 143
the matching pursuit: a new method of characterizing microembolic signals? (Devuyst), 1051

Fowlkes, J. B., see Kripfgans, O. D.
Fowlkes, J. B., see Krucker, J. F.
Fox, K. A. A., see Watson, R. J.

Fracture healing
effects of ultrasound and 1,25-Dihydroxyvitamin D3 on growth factor secretion in co-cultures of osteoblasts and endothelial cells (Ito), 161

Francis, C. W., see Everbach, E. C.
Frenkel, V., Kimmel, E. and Iger, Y.: ultrasound-induced intercellular space widening in fish epidermis, 473
Frinking, P. J. A., Bouakaz, A., Kirkhorn, J., Ten Cate, F. J. and de Jong, N.: ultrasound contrast imaging: current and new potential methods, 965
Frinking, P. J. A., see de Jong, N.
Fuerst, T., see Njeh, C. F.
Fukuda, H., see Sanada, M.
Fukunaga, M., see Hitomi, H.

Fukushima, J. T., see Souza de Oliveira, I. R.
Fumero, R., see Migliavacca, F.

G

Garcia, D., see Cloutier, G.
Gatzoulis, L., Anderson, T., Pye, S. D., O'Donnell, R., McLean, C. C. and McDicken, W. N.: scanning techniques for three-dimensional forward viewing intravascular ultrasound imaging, 1461
Gee, A. H., see Tuomola, P. M.
Genant, H. K., see Njeh, C. F.

Gene therapy
ultrasound enhancement of liposome-mediated cell transfection is caused by cavitation effects (Koch), 897

Genis, V., see Shankar, P. M.
Georgiadis, D., Uhlmann, F., Lindner, A. and Zierz, S.: differentiation between true microembolic signals and artefacts using an arbitrary sample volume, 493
Gies, R. A., see Miller, D. L.
Giles, T. D., see Kerut, E. K.
Giller, C. A.: response from Dr. Giller, 1201L
Given, M. B., see Kerut, E. K.

Glioma
ultrasound enhancement of liposome-mediated cell transfection is caused by cavitation effects (Koch), 897

Glomerular disease
a new approach for glomerular lesions: evaluation of scanning acoustic microscopy (SAM) for experimental glomerular disease in rats (Hitomi), 571

Goenechea, J., see Tiemann, K.
Goertz, D. E., Christopher, D. A., Yu, J. L., Kerbel, R. S., Burns, P. N. and Foster, F. S.: high-frequency color flow imaging of the microcirculation, 63
Goldberg, B. B., see Liu, J.-B.
Goldberg, B. B., see Shankar, P. M.
Goldberg, B. B., see Shi, W. T.
Goldstein, A.: errors in ultrasound digital image distance measurements, 1125
Goldstein, A.: the effect of acoustic velocity on phantom measurements, 1133
Gong, X.-F., see Zhang, D.
Goorden, M., see de Jong, N.
Gottfried, H.-W., see Volkmer, B. G.
Gracewski, S., see Carstensen, E. L.
Gracewski, S., see Dalecki, D.
Greenberg, S., Finkelstein, A., Raisman, E., Shapira, I., Koronowski, R., Laniado, S. and Keren, G.: direct ultrasound application had no effect on cardiac hemodynamic performance in a baseline isolated rat heart model, 315
Greenleaf, J. F., see Dutt, V.
Grewe, P., see Haas, C.

de Groot, C., Drangova, M., Fenster, A., Zhu, S., Pflugfelder, P. W. and Boughner, D. R.: evaluation of 3-D colour Doppler ultrasound for the measurement of proximal isovelocity surface area, 989
Groot-Loonen, J., see Kaputsa, L.
Grosso, I., Casalis, S. and Isaia, G.: which should be the role of bone ultrasonography in the therapeutic follow-up of postmenopausal osteoporosis?, 1370L

Growth factor
effects of ultrasound and 1,25-Dihydroxyvitamin D3 on growth factor secretion in co-cultures of osteoblasts and endothelial cells (Ito), 161

Guey, J.-L., see Chapelon, J.-Y.

Guidelines
a theoretical investigation of the effect of nonlinear propagation on measurements of mechanical index (Cahill), 433
biological effects of ultrasound: development of safety guidelines - part I: personal histories (Nyborg), 911
international recommendations and guidelines for the safe use of diagnostic ultrasound in medicine (Barnett), 355

Guidi, G., Corti, L. and Tortoli, P.: application of autoregressive methods to multigate spectral analysis, 585
Guidi, G., Licciardello, C. and Falteri, S.: intrinsic spectral broadening (ISB) in ultrasound Doppler as a combination of transit time and local geometrical broadening, 853
Gussenhoven, E. J., see Hagenaars, T.

H

ter Haar, G. R., see Barnett, S. B.
ter Haar, G. R., see Meaney, P. M.
Haas, C., Ermert, H., Holt, S., Grewe, P., Machraoui, A. and Barmeyer, J.: segmentation of 3D intravascular ultrasonic images based on a random field model, 297
Hagenaars, T., Gussenhoven, E. J., van der Linden, E. and Bom. N.: reproducibility of calcified lesion quantification: a longitudinal intravascular ultrasound study, 1075
Hagenaars, T., Gussenhoven, E. J., van Essen, J. A., Seelen, J., Honkoop, J. and van der Lugt, A.: reproducibility of volumetric quantification in intravascular ultrasound images, 367
Hahn, D., see Tschammler, A.
Hall, C. S., Nguyen C. T., Scott, M. J., Lanza, G. M. and Wickline, S. A.: delineation of the extracellular determinants of ultrasonic scattering from elastic arteries, 613
Hall, C. S., see Dent, C. L.
Halliwell, M., see McNally, D. S.
Haluszkiewicz, E., see Hart, R.
Han, J. K., see Kim, T. K.
Hans, D., see Njeh, C. F.
Hanson, M. A., see Deng, J.
Harasiewicz, K. A., see Foster, F. S.

Harmonic imaging
contrast-enhanced power Doppler harmonic imaging-influence on visualization of renal vasculature (Huber), 1109
evaluation of tissue harmonic imaging for the diagnosis of focal liver lesions (Tanaka), 183
grey-scale contrast enhancement in rabbit liver with DMP115 at different power levels (Maruyama), 1429
grey-scale contrast enhancement in rabbit liver with DMP115 at different power levels (Maruyama), 1429
transcranial sonography of the brain parenchyma: comparison of B-mode imaging and tissue harmonic imaging (Puls), 189
ultrasonic characterization of the nonlinear properties of contrast microbubbles (Shi), 93

Hart, R. and Haluszkiewicz, E.: blood flow velocity using transcranial Doppler velocimetry in the middle and anterior cerebral arteries: correlation with sample volume depth, 1267
Hart, R., see Haynes, M. J.
Hartiala, J. J., see Jarvisalo, M. J.
Hasenkam, J. M., see Chew, M. S.
Hasimoto, M., see Hitomi, H.
Haugen, B. O., see Rabben, S. I.
Havard, D., see Rakebrandt, F.
Hawkes, J. J., see Cousins, C. M.
Haynes, M. J., Hart, R. and McGeachie, J.: vertebral arteries and neck rotation: Doppler velocimeter interexaminer reliability, 1363
Haynes, M. J.: vertebral arteries and neck rotation: Doppler velocimeter and duplex results compared, 57
He, S., see Lu, J.-Y.
He, Y., see Njeh, C. F.

Hemorrhage
the search for cavitation *in vivo* (Carstensen), 1377

Hennerici, M., see Meairs, S.
Hennerici, M., see Spengos, K.
Herault, S., see Arbeille, P.
Herman, B., Einav, S. and Vered, Z.: feasibility of mitral flow assessment by echo-contrast ultrasound, Part I: determination of the properties of echo-contrast agents, 787
Herman, B., Einav, S. and Vered, Z.: feasibility of mitral flow assessment by echo-contrast ultrasound, Part II: experimental study on a mechanical model of the left heart, 797
Herment, A., see Ugolini, P.
Hetzel, G., see Puls, I.
Heuser, B., see Tschammler, A.
Hibi, K., see Takagi, A.

High frame rate imaging
effects of phase aberration on high frame rate imaging (Lu), 143
optical imaging of contrast agent microbubbles in an ultrasound field with a 100-MHz camera (de Jong), 487

High frequency
40 MHz Doppler characterization of umbilical and dorsal aortic blood flow in the early mouse embryo (Phoon), 1275
advances in ultrasound biomicroscopy (Foster), 1
automated contour detection for high-frequency intravascular ultrasound imaging: a technique with blood noise reduction for edge enhancement (Takagi), 1033
high-frequency backscatter and attenuation measurements of selected bovine tissues between 10 and 30 MHz (Maruvada), 1043
high-frequency color flow imaging of the microcirculation (Goertz), 63
high-frequency ultrasound for quantitative characterization of myocardial edema (Dent), 375
intracorporeal imaging and differentiation of living tissue with an ultra-high-frequency ultrasound probe (Yokosawa), 503
scanning techniques for three-dimensional forward viewing intravascular ultrasound imaging (Gatzoulis), 1461

High intensity ultrasound
improvement of stone fragmentation during shock-wave lithotripsy using a combined EH/PEAA shock-wave generator - *in vitro* experiments (Xi), 457
MRI detection of the thermal effects of focused ultrasound on the brain (Vykhodtseva), 871
new piezoelectric transducers for therapeutic ultrasound (Chapelon), 153
schlieren photography study of energy absorption by uric acid nuclei (Lafaut), 335
the intensity dependence of lesion position shift during focused ultrasound surgery (Meaney), 441

History
biological effects of ultrasound: development of safety guidelines - part I: personal histories (Nyborg), 911

Hitomi, H., Kiyomoto, H., Hasimoto, M., Aki, Y., Uchida, K., Takahashi, N., Fukunaga, M., Mizushige, K., Senda, S., Sakamoto, H., Matsuo, H. and Yuasa, S.: a new approach for glomerular lesions: evaluation of scanning acoustic microscopy (SAM) for experimental glomerular disease in rats, 571
Ho, Y.-L., see Lin, L.-C.
Ho, Y-L., see Wu, C-C.
Hoad, C. L., see Starritt, H. C.
Holownia, P., see Cousins, C. M.
Holt, S., see Haas, C.
Hong, H-S., see Kim, T. K.
Honkoop, J., see Hagenaars, T.
Huang, H. K.: PACS - basic principles and applications, 497
Huang, P.-J., see Lin, L.-C.
Huang, Y.-L., see Chen, D.-R.
Huber, S., Danes, J., Zuna, I., Teubner, J., Medl, M. and Delorme, S.: relevance of sonographic B-mode criteria and computer-aided ultrasonic tissue characterization in differential diagnosis of solid breast masses, 1243
Huber, S., Steinbach, R., Sommer, O., Zuna, I., Czembirek, H. and Delorme, S.: contrast-enhanced power Doppler harmonic imaging - influence on visualization of renal vasculature, 1109

Hudelo, C., see Arbeille, P.
Hughes, E. R.: on the temperature dependence of ultrasonic attenuation in human calcaneus, 1369L
Humphrey, V. F., see Cahill, M. D.
Humphrey, V. F., see Doody, C.

HUVEC
effects of ultrasound and 1,25-Dihydroxyvitamin D3 on growth factor secretion in co-cultures of osteoblasts and endothelial cells (Ito), 161

Hwang, J.-J., see Lin, L.-C.
Hynynen, K., see Vykhodtseva, N.

I

Iger, Y., see Frenkel, V.

Image processing
accuracy of in-vitro volume estimation of small structures using three-dimensional ultrasound (Berg), 425
an interactive tool to visualize three-dimensional ultrasound data (Robert), 133
automated contour detection for high-frequency intravascular ultrasound imaging: a technique with blood noise reduction for edge enhancement (Takagi), 1033
breast cancer diagnosis using self-organizing map for sonography (Chen), 405
clinical evaluation of sonoelasticity measurement in liver using ultrasonic imaging of internal forced low-frequency vibration (Sanada), 1455
computerized ultrasound B-scan characterization of breast nodules (Lefebvre), 1421
echocardiographic texture analysis using the wavelet transform: differentiation of early heart muscle disease (Kerut), 1445
errors in ultrasound digital image distance measurements (Goldstein), 1125
from digital image processing of colour Doppler M-mode to noninvasive evaluation of the left ventricular diastolic function: a dedicated software package (Tonti), 603
grey-scale contrast enhancement in rabbit liver with DMP115 at different power levels (Maruyama), 1429
on the IVUS plaque volume error in coronary arteries when neglecting curvature (Schuurbiers), 1403,
reconstruction and visualization of irregularly sampled three- and four-dimensional ultrasound data for cerebrovascular applications (Meairs), 263
relationship between ultrasound texture classification images and histology of atherosclerotic plaque (Rakebrandt), 1393,
relevance of sonographic B-mode criteria and computer-aided ultrasonic tissue characterization in differential diagnosis of solid breast masses (Huber), 1243
segmentation of 3D intravascular ultrasonic images based on a random field model (Haas), 297
semiautomatic contour detection in ultrasound M-mode images (Rabben), 287
the effect of acoustic velocity on phantom measurements (Goldstein), 1133

three-dimensional echocardiography paves the way toward virtual reality (Bruining), 1065
use of the K-distribution for classification of breast masses (Shankar), 1503

Indentation
biomechanical assessment of plantar foot tissue in diabetic patients using an ultrasound indentation system (Zheng), 451

Index
Index to volume 25 Ultrasound in Medicine and Biology (Halliwell), 679

Inertial cavitation
destruction of contrast microbubbles and the association with inertial cavitation (Shi), 1009

Infant
correlation of ultrasonographic imaging of congenital muscular torticollis with clinical assessment in infants (Cheng), 1237

Intervertebral disc
intervertebral disc structure: observation by a novel use of ultrasound imaging (McNally), 751

Intima-medial thickness
non-invasive assessment of brachial artery endothelial function with digital ultrasound and 13-MHz scanning frequency: feasibility of measuring the true inner luminal diameter using the intima-lumen interface (Jarvisalo), 1257

Intracorporeal scanning
intracorporeal imaging and differentiation of living tissue with an ultra-high-frequency ultrasound probe (Yokosawa), 503

Intravascular ultrasound
accuracy of coronary flow measurements performed by means of Doppler wires (Doriot), 221
advances in ultrasound biomicroscopy (Foster), 1
automated contour detection for high-frequency intravascular ultrasound imaging: a technique with blood noise reduction for edge enhancement (Takagi), 1033
classification of arterial plaque by spectral analysis *in vitro* radio frequency intravascular ultrasound data (Watson), 73
in vitro validation of volumetric blood flow measurement using Doppler flow wire (Jenni), 1301
intracorporeal imaging and differentiation of living tissue with an ultra-high-frequency ultrasound probe (Yokosawa), 503
intraluminal ultrasonic palpation: assessment of local and cross-sectional tissue stiffness (Céspedes), 385
on the IVUS plaque volume error in coronary arteries when neglecting curvature (Schuurbiers), 1403,
predicting the acoustic response of a microbubble population for contrast imaging in medical ultrasound (Chin), 1293
reproducibility of calcified lesion quantification: a longitudinal intravascular ultrasound study (Hagenaars), 1075

reproducibility of volumetric quantification in intravascular ultrasound images (Hagenaars), 367
scanning techniques for three-dimensional forward viewing intravascular ultrasound imaging (Gatzoulis), 1461
segmentation of 3D intravascular ultrasonic images based on a random field model (Haas), 297
three-dimensional automatic quantitative analysis of intravascular ultrasound images (Kovalski), 527
Ioka, T., see Tanaka, S.
Isaia, G., see Grosso, I.
Ishikawa, S., see Yokosawa, K.

Iso-velocity surface area
evaluation of 3-D colour Doppler ultrasound for the measurement of proximal isovelocity surface area (deGroot), 989

Ito, M., Azuma, Y., Ohta, T. and Komoriya, K.: effects of ultrasound and 1,25-Dihydroxyvitamin D_3 on growth factor secretion in co-cultures of osteoblasts and endothelial cells, 161
Ito, Y., see Yokosawa, K.
Iwasa, S., see Yusa, H.

J

Jartti, L., see Jarvisalo, M. J.
Jarvisalo, M. J., Jartti, L., Toikka, J. O., Hartiala, J. J., Rönnemaa, T. and Raitakari, O. T.: noninvasive assessment of brachial artery endothelial function with digital ultrasound and 13-MHz scanning frequency: feasibility of measuring the true inner luminal diameter using the intima-lumen interface, 1257
Jenkinson, D. F., see Lunt, M. J.
Jenni, R., Kaufmann, P. A., Jiang, Z., Attenhofer, C., Linka, A. and Mandinov, L.: *in vitro* validation of volumetric blood flow measurement using Doppler flow wire, 1301
Jespersen, S. K., Wilhjelm, J. E. and Sillesen, H.: *in vitro* spatial compound scanning for improved visualization of atherosclerosis, 1357
Jiang, Z., see Jenni, R.
Jingping, X., see de Jong, N.
Jolesz, F. A., see Vykhodtseva, N.
de Jong, N., see Djoa, K. K.
de Jong, N., see Frinking, P. J. A.
de Jong, N., Frinking, P. J. A., Bouakaz, A., Goorden, M., Schourmans, T., Jingping, X. and Mastik, F.: optical imaging of contrast agent microbubbles in an ultrasound field with a 100-MHz camera, 487

K

Kalisz, A., see Deng, C. X.
Kaluzynski, K., see Karlsson, B.
Kamiyama, N., see Maruyama, H.
Kao, S.-L., see Lin, L.-C.
Kaputsa, L., Thijssen, J. M., Cuypers, M. H. M., Peer, P. G. M. and Daniëls, O.: assessment of myocardial velocities in healthy children using tissue Doppler imaging, 229
Kaputsa, L., Thijssen, J. M., Groot-Loonen, J., Antonius, T., Mulder, J. and

Daniëls, O.: tissue Doppler imaging in detection of myocardial dysfunction in survivors of childhood cancer treated with anthracyclines, 1099
Karlsson, B., Foulquière, K., Kaluzynski, K., Tranquart, F., Fignon, A., Pourcelot, D., Pourcelot, L. and Berson, M.: the DopFet system: a new ultrasonic Doppler system for monitoring and characterization of fetal movement, 1117
Kasprzak, J. D., see Djoa, K. K.
Kaufmann, P. A., see Jenni, R.
Keay, P. J., see Cousins, C. M.
Kerbel, R. S., see Goertz, D. E.
Keren, G., see Greenberg, S.
Kerr, D., see Lunt, M. J.
Kerut, E. K., Given, M. B., McIlwain, E., Allen, G., Espinoza, C. and Giles, T. D.: echocardiographic texture analysis using the wavelet transform: differentiation of early heart muscle disease, 1445
Kim, C.-H., Kim, Y. I., Choi, C. S., Park, J. Y., Lee, M. S., Lee, S.-I. and Kim, G. S.: prevalence and risk factors of low quantitative ultrasound values of calcaneus in Korean elderly women, 35
Kim, G. S., see Kim, C.-H.
Kim, T. K., Choi, B. I., Hong, H-S., Choi, B. Y. and Han, J. K.: improved imaging of hepatic metastases with delayed pulse inversion harmonic imaging using a contrast agent SH U 508A: preliminary study, 1439
Kim, Y. I., see Kim, C.-H.
Kimmel, E., see Frenkel, V.
Kimura, K., Minematsu, K., Yasaka, M., Wada, K. and Yamaguchi, T.: evaluation of posterior cerebral artery flow velocity by transcranial color-coded real-time sonography, 195
Kinnick, R. R., see Dutt, V.
Kinoshita, A., see Masugata, H.
Kirkhorn, J., see Frinking, P. J. A.
Kiyomoto, H., see Hitomi, H.
Klötzsch, C., Popescu, O., Sliwka, U., Mull, M. and Noth, J.: detection of stenoses in the anterior circulation using frequency-based transcranial color-coded sonography, 579
Kluiwstra, J.-U., see Chapelon, J.-Y.
Ko, H.-C., see Chang, C.-H.
Ko, H.-C., see Yu, C.-H.
Kobayashi, A., see Sanada, M.
Koch, S., Pohl, P., Cobet, U. and Rainov, N. G.: ultrasound enhancement of liposome-mediated cell transfection is caused by cavitation effects, 897
Kohno, M., see Masugata, H.
Kojima, M., see Nakamura, J.
Kollai, M., see Studinger, P.
Komoriya, K., see Ito, M.
Kondoh, F., see Sanada, M.
Konofagou, E. E., see Varghese, T.
Koronowski, R., see Greenberg, S.
de Korte, C. L., see Céspedes, E. I.
Kovalski, G., Beyar, R., Shofti, R. and Azhari, H.: three-dimensional automatic quantitative analysis of intravascular ultrasound images, 527
Kripfgans, O. D., Fowlkes, J. B., Miller, D. L., Eldevik, O. P. and Carson, P. L.: acoustic droplet vaporization for therapeutic and diagnostic applications, 1177
Krouskop, T. A., see Varghese, T.

Krucker, J. F., Meyer, C.R., LeCarpentier, G. L., Fowlkes, J. B. and Carson, P. L.: 3D spatial compounding of ultrasound images using image-based non-rigid registration, 1475
Kuefer, R., see Volkmer, B. G.
Kuntz, S., see Tiemann, K.
Kuo, S.-H., see Yuan, A.

L

Labs, K.-H., see Dunmire, B.
Lafaut, J.-P., Leroy, O., Wevers, M., Devolder, S. and Baert, L.: schlieren photography study of energy absorption by uric acid nuclei, 335
Lafon, C., Theillére, Y., Prat, F., Arefiev, A., Chapelon, J. Y. and Cathignol. D.: development of an interstitial ultrasound applicator for endoscopic procedures: animal experimentation, 669
Lancée, C. T., see Djoa, K. K.
Lancée, C., see Bruining, N.
Laniado, S., see Greenberg, S.
Lanza, G. M., see Hall, C. S.
Laugier, P., see Lefebvre, F.
LeCarpentier, G. L., see Krucker, J. F.
Lee, L., see Yuan, A.
Lee, M. S., see Kim, C.-H.
Lee, S.-I., see Kim, C.-H.
Lee, Y.-T., see Lin, L.-C.
Lee, Y-T., see Wu, C-C.
Lees, W. R., see Deng, J.
Lefebvre, F., Meunier, M., Thibault, F., Laugier, P. and Berger, G.: computerized ultrasound B-scan characterization of breast nodules, 1421
Lénárd, Z., see Studinger, P.
Leotta, D. F. and Martin, R. W.: three-dimensional ultrasound imaging of the rotator cuff: spatial compounding and tendon thickness measurement, 509
Leroy, O., see Lafaut, J.-P.
de Leval, M. R., see Migliavacca, F.
Li, X.-r., see Zhang, D.
Liang, R.-I., see Chang, C.-H.
Liau, C.-S., see Lin, L.-C.
Liau, C-S., see Wu, C-C.
Licciardello, C., see Guidi, G.
Limaye, M. S., see Cousins, C. M.

Limited diffraction beams
effects of phase aberration on high frame rate imaging (Lu), 143

Lin, F.-Y., see Yuan, A.
Lin, L.-C., Ho, Y.-L., Kao, S.-L., Wu, C.-C., Liau, C.-S. and Lee, Y.-T.: power Doppler-derived speckle tracking image of intraventricular flow in patients with anterior myocardial infarction: correlation with left ventricular thrombosis, 341
Lin, L.-C., Yen, R.-F., Hwang, J.-J., Chiang, F.-T., Tseng, C.-D. and Huang, P.-J.: ultrasonic tissue characterization evaluates myocardial viability and ischemia in patients with coronary artery disease, 759
Lin, L-C., see Wu, C-C.

Lin, Y.-C., see Chen, C.-M.
van der Linden, E., see Hagenaars, T.
Lindner, A., see Georgiadis, D.
Linka, A., see Jenni, R.
Linney, A. D., see Deng, J.

Lithotripsy
improvement of stone fragmentation during shock-wave lithotripsy using a combined EH/PEAA shock-wave generator - *in vitro* experiments (Xi), 457
schlieren photography study of energy absorption by uric acid nuclei (Lafaut), 335

Liu, J.-B., Miller, L. S., Chung, C. Y., Overton, D. A., Sheera, M., Forsberg, F. and Goldberg, B. B.: validation of volume measurements in esophageal pseudotumors using 3D endoluminal ultrasound, 735
Liu, J.-h., see Zhang, D.
Liu, Y-B., see Wu, C-C.

Liver
clinical evaluation of sonoelasticity measurement in liver using ultrasonic imaging of internal forced low-frequency vibration (Sanada), 1455
evaluation of tissue harmonic imaging for the diagnosis of focal liver lesions (Tanaka), 183
grey-scale contrast enhancement in rabbit liver with DMP115 at different power levels (Maruyama), 1429

Lizzi, F. L., see Deng, C. X.
Loeffler, M., see Volkmer, B. G.
Lu, H. H.-S., see Chen, C.-M.
Lu, J.-y. and He, S.: effects of phase aberration on high frame rate imaging, 143
Lu, X., Senda, S., Mizushige, K., Masugata, H., Sakamoto, S., Sakamoto, H. and Matsuo, H.: evaluation of progression in nonrheumatic aortic valvular stenosis by scanning acoustic microscopy, 563
van der Lugt, A., see Hagenaars, T.
Luh, K.-T., see Yuan, A.

Lung
reactive pulmonary artery vasoconstriction in pulmonary consolidation evaluated by color Doppler ultrasonography (Yuan), 49

Lunt, M. J., Jenkinson, D. F. and Kerr, D.: transcranial Doppler blood velocity measurement - the effect of changes in velocity profile, 1145

Lymph nodes
pathological angioarchitecture in lymph nodes: underlying histopathologic findings (Tschammler), 1089
ultrasonographic assessment for response to radiochemotherapy of metastatic cervical lymph nodes in head and neck cancer: usefulness of grey-scale and color Doppler sonography (Yusa), 1081

M

Machraoui, A., see Haas, C.
Macleod, I. C., see Sboros, V.
Maeda, K., see Barnett, S. B.

Mak, A. F. T., see Zheng, Y. P.
Mandinov, L., see Jenni, R.

Manikins
body-centred visualisation for freehand 3-D ultrasound (Tuomola), 539

Martin, R. W., see Leotta, D. F.
Maruvada, S., Shung, K. K. and Wang, S.H.: high-frequency backscatter and attenuation measurements of selected bovine tissues between 10 and 30 MHz, 1043
Maruyama, H., Matsutani, S., Saisho, H., Kamiyama, N., Yuki, H. and Miyata, K.: grey-scale contrast enhancement in rabbit liver with DMP115 at different power levels, 1429
Masotti, L., see Scabia, M.
Mastik, F., see de Jong, N.
Masugata, H., Mizushige, K., Senda, S., Kinoshita, A., Nozaki, S., Matsuo, H. and Kohno, M.: physical properties of the mitral valve tissue assessed by tissue sound speed in cardiac amyloidosis: relationship to the severity of mitral regurgitation, 1191
Masugata, H., see Lu, X.
Matsuo, H., see Hitomi, H.
Matsuo, H., see Lu, X.
Matsuo, H., see Masugata, H.
Matsutani, S., see Maruyama, H.
Mäurer, M., see Puls, I.
McDicken, W. N., see Gatzoulis, L.
McDicken, W. N., see Moran, C. M.
McDicken, W. N., see Sboros, V.
McDicken, W. N., see Watson, R. J.
McGeachie, J., see Haynes, M. J.
McIlwain, E., see Kerut, E. K.
McLean, C. C., see Gatzoulis, L.
McLean, C. C., see Watson, R. J.
McNally, D. S., Naish, C. and Halliwell, M.: intervertebral disc structure: observation by a novel use of ultrasound imaging, 751
McPhee, A. J., see Duggan, P. M.
Meairs, S., Beyer, J. and Hennerici, M.: reconstruction and visualization of irregularly sampled three- and four-dimensional ultrasound data for cerebrovascular applications, 263
Meaney, P. M., Cahill, M. D. and ter Haar, G. R.: the intensity dependence of lesion position shift during focused ultrasound surgery, 441
Medl, M., see Huber, S.
Menier, R., see Piquet, L.
Mess, W. H., Titulaer, B. M. and Ackerstaff, R. G. A.: a new algorithm for off-line automated emboli detection based on the pseudo-wigner power distribution and the dual gate TCD technique, 413
Metreweli, C., see Cheng, J.
Meunier, M., see Lefebvre, F.
Meyer, C. R., see Krucker, J. F.

MI (mechanical index)
a theoretical investigation of the effect of nonlinear propagation on measurements of mechanical index (Cahill), 433
the influence of ultrasound frequency and gas-body composition on the

contrast agent-mediated enhancement of vascular bioeffects in mouse intestine (Miller), 307

Microcirculation
high-frequency color flow imaging of the microcirculation (Goertz), 63

Microscanning
a new approach for glomerular lesions: evaluation of scanning acoustic microscopy (SAM) for experimental glomerular disease in rats (Hitomi), 571
advances in ultrasound biomicroscopy (Foster), 1
high-frequency color flow imaging of the microcirculation (Goertz), 63
high-frequency ultrasound for quantitative characterization of myocardial edema (Dent), 375
intracorporeal imaging and differentiation of living tissue with an ultra-high-frequency ultrasound probe (Yokosawa), 503
physical properties of the mitral valve tissue assessed by tissue sound speed in cardiac amyloidosis: relationship to the severity of mitral regurgitation (Masugata), 1191
ultrasound shear wave imaging for bone (Ye), 833

Microvascular morphology
high-frequency color flow imaging of the microcirculation (Goertz), 63

Middle cerebral artery
blood flow velocity using transcranial Doppler velocimetry in the middle and anterior cerebral arteries: correlation with sample volume depth (Hart), 1267
detection of stenoses in the anterior circulation using frequency-based transcranial color-coded sonography (Klötzsch), 579 the matching pursuit: a new method of characterizing microembolic signals? (Devuyst), 1051
the effects of beam shape on the ability to predict changes in vessel size from Doppler signal power (Deverson), 245
the effects of temporal bone on transcranial Doppler ultrasound beam shape (Deverson), 239

Migliavacca, F., Yates, R., Pennati, G., Dubini, G., Fumero, R. and de Leval, M. R.: calculating blood flow from Doppler measurements in the systemic-to-pulmonary artery shunt after the Norwood operation: a method based on computational fluid dynamics, 209
Miki, T., see Nakamura, J.
Millar, A. M., see Sboros, V.
Miller, D. L. and Gies, R. A.: the influence of ultrasound frequency and gas-body composition on the contrast agent-mediated enhancement of vascular bioeffects in mouse intestine, 307
Miller, D. L. and Quddus, J.: sonoporation of monolayer cells by diagnostic ultrasound activation of contrast-agent gas bodies, 661
Miller, D. L., see Kripfgans, O. D.
Miller, L. S., see Liu, J.-B.
Miller, M. W., Sherman, T. A. and Brayman, A. A.: comparative sensitivity of human and bovine erythrocytes to sonolysis by 1-MHz ultrasound, 1317
Minematsu, K., see Kimura, K.

Mitral flow
feasibility of mitral flow assessment by echo-contrast ultrasound, Part II: experimental study on a mechanical model of the left heart (Herman), 797
physical properties of the mitral valve tissue assessed by tissue sound speed in cardiac amyloidosis: relationship to the severity of mitral regurgitation (Masugata), 1191

Miyata, K., see Maruyama, H.
Mizushige, K., see Hitomi, H.
Mizushige, K., see Lu, X.
Mizushige, K., see Masugata, H.
Molnar, L. J., see Souza de Oliveira, I. R.
Montrésor, S., see Roy, E.
Moore, M. P., see Watson, R. J.
Moran, C. M., Anderson, T., Pye, S. D., Sboros, V. and McDicken, W. N.: quantification of microbubble destruction of three fluorocarbon-filled ultrasonic contrast agents, 629
Moran, C. M., see Sboros, V.

Morphometry
high-frequency color flow imaging of the microcirculation (Goertz), 63
significant changes in transrectal ultrasonic measurements of the prostate in relation to the degree of rectal wall distension (Nakamura), 29

Mulder, J., see Kaputsa, L.
Mull, M., see Klötzsch, C.

Multiple scattering
fundamental studies on contrast images from different-sized microbubbles: analytical and experimental studies (Soetanto), 81
predicting the acoustic response of a microbubble population for contrast imaging in medical ultrasound (Chin), 1293

Murcott, M. F., see Duggan, P. M.

Muscular torticollis
correlation of ultrasonographic imaging of congenital muscular torticollis with clinical assessment in infants (Cheng), 1237

Muthupillai, R., see Dutt, V.

Myocardium
assessment of myocardial velocities in healthy children using tissue Doppler imaging (Kaputsa), 229
direct ultrasound application had no effect on cardiac hemodynamic performance in a baseline isolated rat heart model (Greenberg), 315
echocardiographic texture analysis using the wavelet transform: differentiation of early heart muscle disease (Kerut), 1445
high-frequency ultrasound for quantitative characterization of myocardial edema (Dent), 375
power Doppler-derived speckle tracking image of intraventricular flow in patients with anterior myocardial infarction: correlation with left ventricular thrombosis (Lin), 341
semiautomatic contour detection in ultrasound M-mode images (Rabben), 287

tissue Doppler imaging in detection of myocardial dysfunction in survivors of childhood cancer treated with anthracyclines (Kaputsa), 1099
ultrasonic tissue characterization evaluates myocardial viability and ischemia in patients with coronary artery disease (Lin), 759
ultrasonic tissue characterization with integrated backscatter during inotropic stimulation (Wu), 1413

N

Naish, C., see McNally, D. S.
Nakamura, J., Kojima, M., Nakanouchi, T., Okihara, K., Ukimura, O., Nakao, M. and Miki, T.: significant changes in transrectal ultrasonic measurements of the prostate in relation to the degree of rectal wall distension, 29
Nakanouchi, T., see Nakamura, J.
Nakao, M., see Nakamura, J.
Nassiri, D. K., see Starritt, H. C.

Neck
ultrasonographic assessment for response to radiochemotherapy of metastatic cervical lymph nodes in head and neck cancer: usefulness of grey-scale and color Doppler sonography (Yusa), 1081
vertebral arteries and neck rotation: Doppler velocimeter and duplex results compared (Haynes), 57

Neck rotation
vertebral arteries and neck rotation: Doppler velocimeter and duplex results compared (Haynes), 57
vertebral arteries and neck rotation: Doppler velocimeter interexaminer reliability (Haynes), 1363

Nesslauer, T., see Volkmer, B. G.
Nguyen C. T., see Hall, C. S.
Nicolas, J.-M., see Robert, B.
Njeh, C. F., Wu, C., Fan, B., Hans, D., Fuerst, T., He, Y. and Genant, H. K.: estimation of wrist fracture load using phalangeal speed of sound: an *in vitro* study, 1517

Non-linear phenomena
a theoretical investigation of the effect of nonlinear propagation on measurements of mechanical index (Cahill), 433
evaluation of tissue harmonic imaging for the diagnosis of focal liver lesions (Tanaka), 183
nonlinear stress-strain relationships in tissue and their effect on the contrast-to-noise ratio in elastograms (Varghese), 839
predicting the acoustic response of a microbubble population for contrast imaging in medical ultrasound (Chin), 1293
the experimental investigation of ultrasonic properties for a sonicated contrast agent and its application in biomedicine (Zhang), 347
the intensity dependence of lesion position shift during focused ultrasound surgery (Meaney), 441
ultrasonic characterization of the nonlinear properties of contrast microbubbles (Shi), 93

Noth, J., see Klötzsch, C.
Nozaki, S., see Masugata, H.

Nucleus pulposus
intervertebral disc structure: observation by a novel use of ultrasound imaging (McNally), 751
Nyborg, W. L.: biological effects of ultrasound: development of safety guidelines - part I: personal histories, 911

O

O'Donnell, R., see Gatzoulis, L.
Ohta, T., see Ito, M.
Okihara, K., see Nakamura, J.
Oliphant, T. E., see Dutt, V.
Oliva, V., see Cloutier, G.
Onizawa, K., see Yusa, H.
Ophir, J., see Varghese, T.

Optical microscope
optical imaging of contrast agent microbubbles in an ultrasound field with a 100-MHz camera (de Jong), 487

Oshikawa, O., see Tanaka, S.
Osmura, K., see Sanada, M.
Østensen, J., see Shi, W. T.

Osteoporosis
estimation of wrist fracture load using phalangeal speed of sound: an *in vitro* study (Njeh), 1517
measurements of phase velocity and group velocity in human calcaneus (Wear), 641
prevalence and risk factors of low quantitative ultrasound values of calcaneus in Korean elderly women (Kim), 35
relationships of ultrasonic backscatter with ultrasonic attenuation, sound speed and bone mineral density in human calcaneus (Wear), 1311
temperature dependence of ultrasonic attenuation in human calcaneus (Wear), 469

Ott, G., see Tschammler, A.

Ovary
ultrasound criteria in the diagnosis of polycystic ovary syndrome (PCOS) (Atiomo), 977

Overton, D. A., see Liu, J.-B.

P

Palpogram
clinical evaluation of sonoelasticity measurement in liver using ultrasonic imaging of internal forced low-frequency vibration (Sanada), 1455
intraluminal ultrasonic palpation: assessment of local and cross-sectional tissue stiffness (Céspedes), 385

Park, J. Y., see Kim, C.-H.
Pavlin, C. J., see Foster, F. S.
Peach, J., see Ye, S.
Pearson S., see Atiomo, W. U.

Peer, P. G. M., see Kaputsa, L.
Pennati, G., see Migliavacca, F.
Perret, R. S. and Sloop, G. D.: increased peak blood velocity in association with elevated blood pressure, 1387
Pflugfelder, P. W., see deGroot, C.

Phantom
3D spatial compounding of ultrasound images using image-based non-rigid registration (Krucker), 1475
accuracy of in-vitro volume estimation of small structures using three-dimensional ultrasound (Berg), 425
assessment of arterial stenosis in a flow model with power Doppler angiography: accuracy and observations on blood echogenicity (Cloutier), 1489
Doppler flow measurement using surface integration of velocity vectors (SIVV): *in vitro* validation (Chew), 255
effects of phase aberration on high frame rate imaging (Lu), 143
errors in ultrasound digital image distance measurements (Goldstein), 1125
evaluation of an experimental system for the *in vitro* assessment of ultrasonic contrast agents (Sboros), 105
fundamental studies on contrast images from different-sized microbubbles: analytical and experimental studies (Soetanto), 81
quantification of microbubble destruction of three fluorocarbon-filled ultrasonic contrast agents (Moran), 629
reconstruction and visualization of irregularly sampled three- and four-dimensional ultrasound data for cerebrovascular applications (Meairs), 263
scanning techniques for three-dimensional forward viewing intravascular ultrasound imaging (Gatzoulis), 1461
selective transmission of a focused Doppler ultrasound beam through a plastic layer (Thompson), 1333
the effect of acoustic velocity on phantom measurements (Goldstein), 1133
using Doppler signal power to detect changes in vessel size: a feasibility study using a wall-less flow phantom (Deverson), 593
validation of volume measurements in esophageal pseudotumors using 3D endoluminal ultrasound (Liu), 735

Phase aberration
3D spatial compounding of ultrasound images using image-based non-rigid registration (Krucker), 1475
effects of phase aberration on high frame rate imaging (Lu), 143
the effects of beam shape on the ability to predict changes in vessel size from Doppler signal power (Deverson), 245
the effects of temporal bone on transcranial Doppler ultrasound beam shape (Deverson), 239

Phoon, C. K. L., Aristizabal, O. and Turnbull, D. H.: 40 MHz Doppler characterization of umbilical and dorsal aortic blood flow in the early mouse embryo, 1275

Photoelastic imaging
improvement of stone fragmentation during shock-wave lithotripsy using a combined EH/PEAA shock-wave generator - *in vitro* experiments (Xi), 457

Piccoli, C. W., see Shankar, P. M.
Piquet, L., Dalmay, F., Ayoub, J., Vandroux, J. C., Menier, R., Antonini, M.-T. and Pourcelot, L.: study of blood flow parameters measured in femoral artery after exercise: correlation with maximum oxygen uptake, 1001

Plaque
classification of arterial plaque by spectral analysis *in vitro* radio frequency intravascular ultrasound data (Watson), 73
detection of stenoses in the anterior circulation using frequency-based transcranial color-coded sonography (Klötzsch), 579
in vitro spatial compound scanning for improved visualization of atherosclerosis (Jespersen), 1357
on the IVUS plaque volume error in coronary arteries when neglecting curvature (Schuurbiers), 1403
relationship between ultrasound texture classification images and histology of atherosclerotic plaque (Rakebrandt), 1393
three-dimensional automatic quantitative analysis of intravascular ultrasound images (Kovalski), 527

Plasma preparation
plasma preparation from whole blood using ultrasound (Cousins), 881

Plett, M., see Dunmire, B.
Pohl, C., see Tiemann, K.
Pohl, P., see Koch, S.

Point-spread function
accuracy of in-vitro volume estimation of small structures using three-dimensional ultrasound (Berg), 425

Polycystic ovary
ultrasound criteria in the diagnosis of polycystic ovary syndrome (PCOS) (Atiomo), 977

Popescu, O., see Klötzsch, C.
Pourcelot, L., see Karlsson, B.
Pourcelot, D., see Karlsson, B.
Pourcelot, L., see Piquet, L.

Power Doppler
assessment of arterial stenosis in a flow model with power Doppler angiography: accuracy and observations on blood echogenicity (Cloutier), 1489
contrast-enhanced power Doppler harmonic imaging-influence on visualization of renal vasculature (Huber), 1109
in vitro flow quantification with contrast power Doppler imaging (Ugolini), 113

Prager, R. W., see Tuomola, P. M.
Prat, F., see Lafon, C.
Praxedes, J. N., see Souza de Oliveira, I. R.
Prentice, A., see Atiomo, W. U.
Price, C. P., see Cousins, C. M.

Prostate
significant changes in transrectal ultrasonic measurements of the prostate in relation to the degree of rectal wall distension (Nakamura), 29

Proximal iso-velocity surface area
evaluation of 3-D colour Doppler ultrasound for the measurement of proximal isovelocity surface area (deGroot), 989

Pseudo-Wigner function
a new algorithm for off-line automated emboli detection based on the pseudo-wigner power distribution and the dual gate TCD technique (Mess), 413

Pulmonary artery
reactive pulmonary artery vasoconstriction in pulmonary consolidation evaluated by color Doppler ultrasonography (Yuan), 49

Pulmonary consolidation
reactive pulmonary artery vasoconstriction in pulmonary consolidation evaluated by color Doppler ultrasonography (Yuan), 49
Puls, I., Berg, D., Mäurer, M., Schliesser, M., Hetzel, G. and Becker, G.: transcranial sonography of the brain parenchyma: comparison of B-mode imaging and tissue harmonic imaging, 189

Pulse inversion
grey-scale contrast enhancement in rabbit liver with DMP115 at different power levels (Maruyama), 1429

Pulsed Doppler
a real-time two-dimensional pulsed-wave Doppler system (Scabia), 121

Pye, S. D., see Gatzoulis, L.
Pye, S. D., see Moran, C. M.
Pye, S. D., see Sboros, V.

Q

Qin, Z., see Cloutier, G.
Quddus, J., see Miller, D. L.
Quillet, L., see Arbeille, P.

QUS (quantitative ultrasound of bone)
prevalence and risk factors of low quantitative ultrasound values of calcaneus in Korean elderly women (Kim), 35

R

Rabben, S. I., Torp, A. H., Støylen, A., Slørdahl, S., Bjørnstad, K., Haugen, B. O. and Angelsen, B.: semiautomatic contour detection in ultrasound M-mode images, 287
Raeman, C. H., see Dalecki, D.
Rainov, N. G., see Koch, S.
Raisman, E., see Greenberg, S.
Raitakari, O. T., see Jarvisalo, M. J.
Rakebrandt, F., Crawford, D. C., Havard, D., Coleman, D. and Woodcock,

J. P.: relationship between ultrasound texture classification images and histology of atherosclerotic plaque, 1393
Reid, J. M., see Shankar, P. M.
Reneman, R., see Studinger, P.
Reynolds, J. C., see Wear, K. A.
Riccardi, G., see Tonti, G.
Richard, B., see Robert, B.

Risk
a theoretical investigation of the effect of nonlinear propagation on measurements of mechanical index (Cahill), 433
biological effects of ultrasound: development of safety guidelines - part I: personal histories (Nyborg), 911
international recommendations and guidelines for the safe use of diagnostic ultrasound in medicine (Barnett), 355
prevalence and risk factors of low quantitative ultrasound values of calcaneus in Korean elderly women (Kim), 35

Reactive vasoconstriction
reactive pulmonary artery vasoconstriction in pulmonary consolidation evaluated by color Doppler ultrasonography (Yuan), 49

Rectum
significant changes in transrectal ultrasonic measurements of the prostate in relation to the degree of rectal wall distension (Nakamura), 29

Rectal wall
significant changes in transrectal ultrasonic measurements of the prostate in relation to the degree of rectal wall distension (Nakamura), 29

Rectified diffusion
can high-frequency sound affect gas bubble dynamics? A study in the intact prawn *palaemon elegans* (Arjeli), 1511

Refraction
3D spatial compounding of ultrasound images using image-based non-rigid registration (Krucker), 1475
selective transmission of a focused Doppler ultrasound beam through a plastic layer (Thompson), 1333
the effects of beam shape on the ability to predict changes in vessel size from Doppler signal power (Deverson), 245
the effects of temporal bone on transcranial Doppler ultrasound beam shape (Deverson), 239

Renal artery stenosis
colour Doppler ultrasound: a new index improves the diagnosis of renal artery stenosis (Souza de Oliveira), 41

Renal vasculature
colour Doppler ultrasound: a new index improves the diagnosis of renal artery stenosis (Souza de Oliveira), 41
contrast-enhanced power Doppler harmonic imaging-influence on visualization of renal vasculature (Huber), 1109

Renal volume
fetal renal volume in normal gestation: a three-dimensional ultrasound study (Yu), 1253

Reproducibility
correlation of ultrasonographic imaging of congenital muscular torticollis with clinical assessment in infants (Cheng), 1237
flow velocity and flow volume measurements in the extracranial carotid and vertebral arteries in healthy adults: reference data and the effects of age (Scheel), 1261
non-invasive assessment of brachial artery endothelial function with digital ultrasound and 13-MHz scanning frequency: feasibility of measuring the true inner luminal diameter using the intima-lumen interface (Jarvisalo), 1257
reproducibility of calcified lesion quantification: a longitudinal intravascular ultrasound study (Hagenaars), 1075
reproducibility of volumetric quantification in intravascular ultrasound images (Hagenaars), 367
vertebral arteries and neck rotation: Doppler velocimeter interexaminer reliability (Haynes), 1363

Response
ultrasonographic assessment for response to radiochemotherapy of metastatic cervical lymph nodes in head and neck cancer: usefulness of grey-scale and color Doppler sonography (Yusa), 1081

RF analysis
acoustic shear-wave imaging using echo ultrasound compared to magnetic resonance elastography (Dutt), 397
classification of arterial plaque by spectral analysis *in vitro* radio frequency intravascular ultrasound data (Watson), 73
evaluation of an experimental system for the *in vitro* assessment of ultrasonic contrast agents (Sboros), 105

Robert, B., Richard, B. and Nicolas, J.-M.: an interactive tool to visualize three-dimensional ultrasound data, 133
Rodeck, C. H., see Deng, J.
Roelandt, J. R. T. C., see Bruining, N.
Roelandt, J. R. T. C., see Djoa, K. K.
Rönnemaa, T., see Jarvisalo, M. J.
Rosado, A., see Deng, C. X.

Rotator cuff
three-dimensional ultrasound imaging of the rotator cuff: spatial compounding and tendon thickness measurement (Leotta), 509

Rott, H.-D., see Barnett, S. B.
Roy, E., Abraham, P., Montrésor, S. and Saumet, J.-L.: comparison of time-frequency estimators for peripheral embolus detection, 419

RSR (renal artery stenosis)
colour Doppler ultrasound: a new index improves the diagnosis of renal artery stenosis (Souza de Oliveira), 41

Ruff, C. F., see Deng, J.
Ruge, C., see Scheel, P.

S

Safety
a theoretical investigation of the effect of nonlinear propagation on measurements of mechanical index (Cahill), 433
biological effects of ultrasound: development of safety guidelines - part I: personal histories (Nyborg), 911
can high-frequency sound affect gas bubble dynamics? A study in the intact prawn palaemon elegans (Arjeli), 1511
comparative sensitivity of human and bovine erythrocytes to sonolysis by 1-MHz ultrasound (Miller), 1317
comparison of finite element and heated disc models of tissue heating by ultrasound (Doody), 1347
direct ultrasound application had no effect on cardiac hemodynamic performance in a baseline isolated rat heart model (Greenberg), 315
international recommendations and guidelines for the safe use of diagnostic ultrasound in medicine (Barnett), 355
measurement of acoustic streaming using magnetic resonance (Starritt), 321
the influence of ultrasound frequency and gas-body composition on the contrast agent-mediated enhancement of vascular bioeffects in mouse intestine (Miller), 307
the influence of variations in blood flow on pulsed Doppler ultrasonic heating of the cerebral cortex of the neonatal pig (Duggan), 647
the intensity dependence of lesion position shift during focused ultrasound surgery (Meaney), 441

Saisho, H., see Maruyama, H.
Saisho, H., see Sanada, M.
Sakamoto, H., see Hitomi, H.
Sakamoto, H., see Lu, X.
Salter, D. M., see Watson, R. J.
Salustri, A., see Tonti, G.

SAM (scanning acoustic microscope)
a new approach for glomerular lesions: evaluation of scanning acoustic microscopy (SAM) for experimental glomerular disease in rats (Hitomi), 571
evaluation of progression in nonrheumatic aortic valvular stenosis by scanning acoustic microscopy (Lu), 563

Sample volume depth
blood flow velocity using transcranial Doppler velocimetry in the middle and anterior cerebral arteries: correlation with sample volume depth (Hart), 1267

Sanada, M., Ebara, M., Fukuda, H., Yoshikawa, M., Sugiura, N., Saisho, H., Yamakoshi, Y., Osmura, K., Kobayashi, A. and Kondoh, F.: clinical evaluation of sonoelasticity measurement in liver using ultrasonic imaging of internal forced low-frequency vibration, 1455
Sano, S., see Yokosawa, K.
Sapozhnikov, O. A., see Chapelon, J.-Y.

Sasaki, K., see Yokosawa, K.
Sasaki, T., see Tanaka, S.
Saumet, J.-L., see Roy, E.
Sboros, V., Moran, C. M., Anderson, T. and McDicken, W. N.: an *in vitro* comparison of ultrasonic contrast agents in solutions with varying air levels, 807
Sboros, V., Moran, C. M., Anderson, T., Pye, S. D., Macleod, I. C., Millar, A. M. and McDicken, W. N.: evaluation of an experimental system for the *in vitro* assessment of ultrasonic contrast agents, 105
Sboros, V., see Moran, C. M.
Scabia, M., Calzolai, M., Capineri, L., Masotti, L. and Fort, A.: a real-time two-dimensional pulsed-wave Doppler system, 121

Scan spacing
a fast rotating scanning unit for real-time three-dimensional echo data acquisition (Djoa), 863
optimum scan spacing for three-dimensional ultrasound by speckle statistics (Smith), 551
scanning techniques for three-dimensional forward viewing intravascular ultrasound imaging (Gatzoulis), 1461
three-dimensional echocardiography paves the way toward virtual reality (Bruining), 1065

Scattering
fundamental studies on contrast images from different-sized microbubbles: analytical and experimental studies (Soetanto), 81

Scheel, P., Ruge, C. and Schöning, M.: flow velocity and flow volume measurements in the extracranial carotid and vertebral arteries in healthy adults: reference data and the effects of age, 1261

Schlieren
schlieren photography study of energy absorption by uric acid nuclei (Lafaut), 335

Schliesser, M., see Puls, I.
Schlosser, T., see Tiemann, K.
Schmitt, S., see Tschammler, A.
Schöning, M., see Scheel, P.
Schourmans, T., see de Jong, N.
Schuurbiers, J. C. H., von Birdblen, C., Wentzel, J. J., Bom, N., Serruys, P. W., de Feyter, P. J. and Slager, C. J.: on the IVUS plaque volume error in coronary arteries when neglecting curvature, 1403
Scott, M. J., see Dent, C. L.
Scott, M. J., see Hall, C. S.
Seelen, J., see Hagenaars, T.

Segmentation
an early vision-based snake model for ultrasound image segmentation (Chen), 273
an interactive tool to visualize three-dimensional ultrasound data (Robert), 133
segmentation of 3D intravascular ultrasonic images based on a random field model (Haas), 297

semiautomatic contour detection in ultrasound M-mode images (Rabben), 287
three-dimensional automatic quantitative analysis of intravascular ultrasound images (Kovalski), 527

Self organising map
breast cancer diagnosis using self-organizing map for sonography (Chen), 405

Senda, S., see Hitomi, H.
Senda, S., see Lu, X.
Senda, S., see Masugata, H.
Serruys, P. W., see Schuurbiers, J. C. H.
Shankar, P. M., Dumane, V. A., Reid, J. M., Genis, V., Forsberg, F., Piccoli, C. W. and Goldberg, B. B.: use of the K-distribution for classification of breast masses, 1503
Shao, L.-z., see Zhang, D.
Shapira, I., see Greenberg, S.
Shaw, S., see Atiomo, W. U.

Shear wave
acoustic shear-wave imaging using echo ultrasound compared to magnetic resonance elastography (Dutt), 397
schlieren photography study of energy absorption by uric acid nuclei (Lafaut), 335
ultrasound shear wave imaging for bone (Ye), 833
ultrasound-induced intercellular space widening in fish epidermis (Frenkel), 473

Sheera, M., see Liu, J.-B.
Sherman, T. A., see Miller, M. W.
Shi, W. T. and Forsberg, F.: ultrasonic characterization of the nonlinear properties of contrast microbubbles, 93
Shi, W. T., Forsberg, F., Tornes, A., Østensen, J. and Goldberg, B. B.: destruction of contrast microbubbles and the association with inertial cavitation, 1009
Shinomura, R., see Yokosawa, K.

Shock waves
a theoretical investigation of the effect of nonlinear propagation on measurements of mechanical index (Cahill), 433
improvement of stone fragmentation during shock-wave lithotripsy using a combined EH/PEAA shock-wave generator - *in vitro* experiments (Xi), 457
new piezoelectric transducers for therapeutic ultrasound (Chapelon), 153
schlieren photography study of energy absorption by uric acid nuclei (Lafaut), 335

Shofti, R., see Kovalski, G.
Shung, K. K., see Maruvada, S.
Shupak, A., see Arjeli, Y.
Sillesen, H., see Jespersen, S. K.
Silverman, R. H., see Deng, C. X.
Slager, C. J., see Schuurbiers, J. C. H.
Sliwka, U., see Klötzsch, C.
Sloop, G. D., see Perret, R. S.

Slørdahl, S., see Rabben, S. I.
Sloth, E., see Chew, M. S.
Smith, W. L. and Fenster, A.: optimum scan spacing for three-dimensional ultrasound by speckle statistics, 551

Snake
an early vision-based snake model for ultrasound image segmentation (Chen), 273

Soetanto, K. and Chan, M.: fundamental studies on contrast images from different-sized microbubbles: analytical and experimental studies, 81
Sommer, O., see Huber, S.

Sonoporation
sonoporation of monolayer cells by diagnostic ultrasound activation of contrast-agent gas bodies (Miller), 661

Sorrentino, V., see Vykhodtseva, N.
Soulez, G., see Cloutier, G.
Souza de Oliveira, I. R., Widman, A., Molnar, L. J., Fukushima, J. T., Praxedes, J. N. and Cerri, G. G.: colour Doppler ultrasound: a new index improves the diagnosis of renal artery stenosis, 41

Spatial compounding
3D spatial compounding of ultrasound images using image-based non-rigid registration (Krucker), 1475
three-dimensional ultrasound imaging of the rotator cuff: spatial compounding and tendon thickness measurement (Leotta), 509

Speckle
an early vision-based snake model for ultrasound image segmentation (Chen), 273
automated contour detection for high-frequency intravascular ultrasound imaging: a technique with blood noise reduction for edge enhancement (Takagi), 1033
in vitro spatial compound scanning for improved visualization of atherosclerosis (Jespersen), 1357
optimum scan spacing for three-dimensional ultrasound by speckle statistics (Smith), 551
power Doppler-derived speckle tracking image of intraventricular flow in patients with anterior myocardial infarction: correlation with left ventricular thrombosis (Lin), 341

Spectral analysis
application of autoregressive methods to multigate spectral analysis (Guidi), 585
direct strain estimation in elastography using spectral cross-correlation (Varghese), 1525

Spectral broadening
intrinsic spectral broadening (ISB) in ultrasound Doppler as a combination of transit time and local geometrical broadening (Guidi), 853

Speed of sound
clinical evaluation of sonoelasticity measurement in liver using ultrasonic imaging of internal forced low-frequency vibration (Sanada), 1455
errors in ultrasound digital image distance measurements (Goldstein), 1125
estimation of wrist fracture load using phalangeal speed of sound: an *in vitro* study (Njeh), 1517
evaluation of progression in nonrheumatic aortic valvular stenosis by scanning acoustic microscopy (Lu), 563
measurements of phase velocity and group velocity in human calcaneus (Wear), 641
physical properties of the mitral valve tissue assessed by tissue sound speed in cardiac amyloidosis: relationship to the severity of mitral regurgitation (Masugata), 1191
prevalence and risk factors of low quantitative ultrasound values of calcaneus in Korean elderly women (Kim), 35
the effect of acoustic velocity on phantom measurements (Goldstein), 1133

Spencer, T., see Watson, R. J.
Spengos, K., Behrens, S., Daffertshofer, M., Dempfle, C. E. and Hennerici, M.: acceleration of thrombolysis with ultrasound through the cranium in a flow model, 889

Sportsmen
study of blood flow parameters measured in femoral artery after exercise: correlation with maximum oxygen uptake (Piquet), 1001

Starritt, H. C., Hoad, C. L., Duck, F. A., Nassiri, D. K., Summers, I. R. and Vennart, W.: measurement of acoustic streaming using magnetic resonance, 321
van der Steen, A. F. W., see Céspedes, E. I.
van der Steen, A. F. W., see Djoa, K. K.
Steinbach, R., see Huber, S.

Stenosis
assessment of arterial stenosis in a flow model with power Doppler angiography: accuracy and observations on blood echogenicity (Cloutier), 1489
colour Doppler ultrasound: a new index improves the diagnosis of renal artery stenosis (Souza de Cliveira), 41
detection of stenoses in the anterior circulation using frequency-based transcranial color-coded sonography (Klötzsch), 579

Sternomastoid tumour
correlation of ultrasonographic imaging of congenital muscular torticollis with clinical assessment in infants (Cheng), 1237
Støylen, A., see Rabben, S. I.

Strain
direct strain estimation in elastography using spectral cross-correlation (Varghese), 1525
intraluminal ultrasonic palpation: assessment of local and cross-sectional tissue stiffness (Céspedes), 385
nonlinear stress-strain relationships in tissue and their effect on the contrast-to-noise ratio in elastograms (Varghese), 839

Strandness, D. E. Jr., see Dunmire, B.

Streaming
measurement of acoustic streaming using magnetic resonance (Starritt), 321

Stress
nonlinear stress-strain relationships in tissue and their effect on the contrast-to-noise ratio in elastograms (Varghese), 839

Stuber, A. P., see Wear, K. A.
Studinger, P., Lénárd, Z., Reneman, R., and Kollai, M.: measurement of aortic arch distension wave with the echo-track technique, 1285

Subharmonic
ultrasonic characterization of the nonlinear properties of contrast microbubbles (Shi), 93

Sugiura, N., see Sanada, M.
Summers, I. R., see Starritt, H. C.

Surfactant-stabilized
influence of environmental conditions on a new surfactant-based contrast agent: ST68 (Basude), 621

T

Takagi, A., Hibi, K., Zhang, X., Teo, T. J., Bonneau, H. N., Yock, P. G. and Fitzgerald, P. J.: automated contour detection for high-frequency intravascular ultrasound imaging: a technique with blood noise reduction for edge enhancement, 1033
Takahashi, N., see Hitomi, H.
Tanaka, S., Oshikawa, O., Sasaki, T., Ioka, T. and Tsukuma, H.: evaluation of tissue harmonic imaging for the diagnosis of focal liver lesions, 183
Tang, S.-P., see Cheng, J.

TCD (transcranial Doppler)
a new algorithm for off-line automated emboli detection based on the pseudo-wigner power distribution and the dual gate TCD technique (Mess), 413
blood flow velocity using transcranial Doppler velocimetry in the middle and anterior cerebral arteries: correlation with sample volume depth (Hart), 1267
differentiation between true microembolic signals and artefacts using an arbitrary sample volume (Georgiadis), 493
the matching pursuit: a new method of characterizing microembolic signals? (Devuyst), 1051

Telemedicine
body-centred visualisation for freehand 3-D ultrasound (Tuomola), 539

Temperature dependence
temperature dependence of ultrasonic attenuation in human calcaneus (Wear), 469
Ten Cate, F. J., see Frinking, P. J. A.

Tendons
three-dimensional ultrasound imaging of the rotator cuff: spatial compounding and tendon thickness measurement (Leotta), 509

Teo, T. J., see Takagi, A.
Terris, M. K.
Terris, M. K.: significant changes in transrectal ultrasonic measurements of the prostate in relation to the degree of rectal wall distension, 1057L
Teubner, J., see Huber, S.

Texture
an early vision-based snake model for ultrasound image segmentation (Chen), 273
computerized ultrasound B-scan characterization of breast nodules (Lefebvre), 1421
echocardiographic texture analysis using the wavelet transform: differentiation of early heart muscle disease (Kerut), 1445
relationship between ultrasound texture classification images and histology of atherosclerotic plaque (Rakebrandt), 1393,
relevance of sonographic B-mode criteria and computer-aided ultrasonic tissue characterization in differential diagnosis of solid breast masses (Huber), 1243

Theillére, Y., see Lafon, C.
Thibault, F., see Lefebvre, F.
Thijssen, J. M., see Kaputsa, L.
Thompson, R. S., Tortoli, P. and Aldis, G. K.: selective transmission of a focused Doppler ultrasound beam through a plastic layer, 1333
Tiemann, K., Pohl, C., Schlosser, T., Goenechea, J., Bruce, M., Veltmann, C., Kuntz, S., Bangard, M. and Becher, H.: stimulated acoustic emission: pseudo-Doppler shifts seen during the destruction of nonmoving microbubbles, 1161

Time-frequency estimators
comparison of time-frequency estimators for peripheral embolus detection (Roy), 419

Tissue characterisation
a new approach for glomerular lesions: evaluation of scanning acoustic microscopy (SAM) for experimental glomerular disease in rats (Hitomi), 571
advances in ultrasound biomicroscopy (Foster), 1
classification of arterial plaque by spectral analysis *in vitro* radio frequency intravascular ultrasound data (Watson), 73
computerized ultrasound B-scan characterization of breast nodules (Lefebvre), 1421
evaluation of progression in nonrheumatic aortic valvular stenosis by scanning acoustic microscopy (Lu), 563
evaluation of tissue harmonic imaging for the diagnosis of focal liver lesions (Tanaka), 183
high-frequency backscatter and attenuation measurements of selected bovine tissues between 10 and 30 MHz (Maruvada), 1043
intracorporeal imaging and differentiation of living tissue with an ultra-high-frequency ultrasound probe (Yokosawa), 503

measurement of acoustic streaming using magnetic resonance (Starritt), 321
physical properties of the mitral valve tissue assessed by tissue sound speed in cardiac amyloidosis: relationship to the severity of mitral regurgitation (Masugata), 1191
relationship between ultrasound texture classification images and histology of atherosclerotic plaque (Rakebrandt), 1393,
relevance of sonographic B-mode criteria and computer-aided ultrasonic tissue characterization in differential diagnosis of solid breast masses (Huber), 1243
ultrasonic tissue characterization evaluates myocardial viability and ischemia in patients with coronary artery disease (Lin), 759
ultrasonic tissue characterization with integrated backscatter during inotropic stimulation (Wu), 1413
use of the K-distribution for classification of breast masses (Shankar), 1503

Tissue Doppler
assessment of myocardial velocities in healthy children using tissue Doppler imaging (Kaputsa), 229
semiautomatic contour detection in ultrasound M-mode images (Rabben), 287

Tissue harmonic imaging
evaluation of tissue harmonic imaging for the diagnosis of focal liver lesions (Tanaka), 183

Titulaer, B. M., see Mess, W. H.

Thallium perfusion imaging
ultrasonic tissue characterization evaluates myocardial viability and ischemia in patients with coronary artery disease (Lin), 759

Therapy
acoustic droplet vaporization for therapeutic and diagnostic applications (Kripfgans), 1177
biological effects of ultrasound: development of safety guidelines - part I: personal histories (Nyborg), 911
cavitational mechanisms in ultrasound-accelerated thrombolysis at 1 MHz (Everbach), 1153
development of an interstitial ultrasound applicator for endoscopic procedures: animal experimentation (Lafon), 669
direct ultrasound application had no effect on cardiac hemodynamic performance in a baseline isolated rat heart model (Greenberg), 315
effects of ultrasound and 1,25-Dihydroxyvitamin D3 on growth factor secretion in co-cultures of osteoblasts and endothelial cells (Ito), 161
experimental study of the effects of Optison® concentration on sonoporation *in vitro* (Ward), 1169
MRI detection of the thermal effects of focused ultrasound on the brain (Vykhodtseva), 871
new piezoelectric transducers for therapeutic ultrasound (Chapelon), 153
stimulated acoustic emission: pseudo-Doppler shifts seen during the destruction of nonmoving microbubbles (Tiemann), 1161
the intensity dependence of lesion position shift during focused ultrasound surgery (Meaney), 441

ultrasonographic assessment for response to radiochemotherapy of metastatic cervical lymph nodes in head and neck cancer: usefulness of grey-scale and color Doppler sonography (Yusa), 1081

Thermal effects
comparison of finite element and heated disc models of tissue heating by ultrasound (Doody), 1347
MRI detection of the thermal effects of focused ultrasound on the brain (Vykhodtseva), 871
the influence of variations in blood flow on pulsed Doppler ultrasonic heating of the cerebral cortex of the neonatal pig (Duggan), 647
the intensity dependence of lesion position shift during focused ultrasound surgery (Meaney), 441

Thrombolysis
acceleration of thrombolysis with ultrasound through the cranium in a flow model (Spengos), 889

Tohno, E., see Yusa, H.
Toikka, J. O., see Jarvisalo, M. J.
Tonti, G., Riccardi, G., Denaro, F. M., Trambaiolo, P. and Salustri, A.: from digital image processing of colour Doppler M-mode to noninvasive evaluation of the left ventricular diastolic function: a dedicated software package, 603
Tornes, A., see Shi, W. T.
Torp, A. H., see Rabben, S. I.
Torp, H., see Berg, S.

Torticollis
correlation of ultrasonographic imaging of congenital muscular torticollis with clinical assessment in infants (Cheng), 1237

Tortoli, P., see Guidi, G.
Tortoli, P., see Thompson, R. S.
Trambaiolo, P., see Tonti, G.
Tranquart, F., see Karlsson, B.

Transcranial
a new algorithm for off-line automated emboli detection based on the pseudo-wigner power distribution and the dual gate TCD technique (Mess), 413
blood flow velocity using transcranial Doppler velocimetry in the middle and anterior cerebral arteries: correlation with sample volume depth (Hart), 1267
detection of stenoses in the anterior circulation using frequency-based transcranial color-coded sonography (Klötzsch), 579
evaluation of posterior cerebral artery flow velocity by transcranial color-coded real-time sonography (Kimura), 195
the effects of beam shape on the ability to predict changes in vessel size from Doppler signal power (Deverson), 245
the effects of temporal bone on transcranial Doppler ultrasound beam shape (Deverson), 239
the matching pursuit: a new method of characterizing microembolic signals? (Devuyst), 1051

transcranial Doppler blood velocity measurement - the effect of changes in velocity profile (Lunt), 1145
transcranial sonography of the brain parenchyma: comparison of B-mode imaging and tissue harmonic imaging (Puls), 189

Transducers
advances in ultrasound biomicroscopy (Foster), 1
cross-beam vector Doppler ultrasound for angle-independent velocity measurements (Dunmire), 1213
development of an interstitial ultrasound applicator for endoscopic procedures: animal experimentation (Lafon), 669
intracorporeal imaging and differentiation of living tissue with an ultra-high-frequency ultrasound probe (Yokosawa), 503
new piezoelectric transducers for therapeutic ultrasound (Chapelon), 153
simultaneous use of two ultrasound scanners for motion-gated three-dimensional fetal echocardiography (Deng), 1021
the effects of beam shape on the ability to predict changes in vessel size from Doppler signal power (Deverson), 245
the effects of temporal bone on transcranial Doppler ultrasound beam shape (Deverson), 239

Transit time
intrinsic spectral broadening (ISB) in ultrasound Doppler as a combination of transit time and local geometrical broadening (Guidi), 853

Transfection
ultrasound enhancement of liposome-mediated cell transfection is caused by cavitation effects (Koch), 897

Transmission loss
a new anechoic material for medical ultrasonic applications (Zeqiri), 481

Transrectal
significant changes in transrectal ultrasonic measurements of the prostate in relation to the degree of rectal wall distension (Nakamura), 29

Transvaginal
accuracy of in-vitro volume estimation of small structures using three-dimensional ultrasound (Berg), 425

Truscott, J. G. quantitative ultrasound – assessment of osteoporosis and bone status (Njeh et al), 1539
Tschammler, A., Heuser, B., Ott, G., Schmitt, S. and Hahn, D.: pathological angioarchitecture in lymph nodes: underlying histopathologic findings, 1089
Tseng, C.-D., see Lin, L.-C.
Tsukuma, H., see Tanaka, S.

Tumor response
ultrasonographic assessment for response to radiochemotherapy of metastatic cervical lymph nodes in head and neck cancer: usefulness of grey-scale and color Doppler sonography (Yusa), 1081

Tuomola, P. M., Gee, A. H., Prager, R. W. and Berman, L.: body-centred visualisation for freehand 3-D ultrasound, 539
Turnbull, D. H., see Foster, F. S.
Turnbull, D. H., see Phoon, C. K. L.

U

Uchida, K., see Hitomi, H.
Ueno, E., see Yusa, H.
Ugolini, P., Delouche, A., Herment, A. and Diebold, B.: *in vitro* flow quantification with contrast power Doppler imaging, 113
Uhlmann, F., see Georgiadis, D.
Ukimura, O., see Nakamura, J.

Ulceration
biomechanical assessment of plantar foot tissue in diabetic patients using an ultrasound indentation system (Zheng), 451

Umemura, S.-I., see Yokosawa, K.

V

Valvular regurgitation
evaluation of 3-D colour Doppler ultrasound for the measurement of proximal isovelocity surface area (deGroot), 989

Vandroux, J. C., see Piquet, L.
Varghese, T., Konofagou, E. E., Ophir, J., Alam, S. K. and Bilgen, M.: direct strain estimation in elastography using spectral cross-correlation, 1525
Varghese, T., Ophir, J. and Krouskop, T. A.: nonlinear stress-strain relationships in tissue and their effect on the contrast-to-noise ratio in elastograms, 839

Vector Doppler
a real-time two-dimensional pulsed-wave Doppler system (Scabia), 121
cross-beam vector Doppler ultrasound for angle-independent velocity measurements (Dunmire), 1213
Doppler flow measurement using surface integration of velocity vectors (SIVV): *in vitro* validation (Chew), 255
intrinsic spectral broadening (ISB) in ultrasound Doppler as a combination of transit time and local geometrical broadening (Guidi), 853

Velocity
a real-time two-dimensional pulsed-wave Doppler system (Scabia), 121
cross-beam vector Doppler ultrasound for angle-independent velocity measurements (Dunmire), 1213
Doppler flow measurement using surface integration of velocity vectors (SIVV): *in vitro* validation (Chew), 255
flow velocity and flow volume measurements in the extracranial carotid and vertebral arteries in healthy adults: reference data and the effects of age (Scheel), 1261
increased peak blood velocity in association with elevated blood pressure (Perret), 1387
intrinsic spectral broadening (ISB) in ultrasound Doppler as a combination of transit time and local geometrical broadening (Guidi), 853

measurement of acoustic streaming using magnetic resonance (Starritt), 321
transcranial Doppler blood velocity measurement - the effect of changes in velocity profile (Lunt), 1145

Veltmann, C., see Tiemann, K.
Vennart, W., see Starritt, H. C.
Vered, Z., see Herman, B.

Vertebral artery
flow velocity and flow volume measurements in the extracranial carotid and vertebral arteries in healthy adults: reference data and the effects of age (Scheel), 1261
vertebral arteries and neck rotation: Doppler velocimeter and duplex results compared (Haynes), 57
vertebral arteries and neck rotation: Doppler velocimeter interexaminer reliability (Haynes), 1363

Vesicovaginal fistula
colour Doppler ultrasound in vesicovaginal fistulas (Volkmer), 771

Vesin, J.-M., see Devuyst, G.

Vessel size
an early vision-based snake model for ultrasound image segmentation (Chen), 273
the effects of beam shape on the ability to predict changes in vessel size from Doppler signal power (Deverson), 245
the effects of temporal bone on transcranial Doppler ultrasound beam shape (Deverson), 239
using Doppler signal power to detect changes in vessel size: a feasibility study using a wall-less flow phantom (Deverson), 593

Virtual reality
three-dimensional echocardiography paves the way toward virtual reality (Bruining), 1065

Vletter, W. B., see Djoa, K. K.

VO_2 max
study of blood flow parameters measured in femoral artery after exercise: correlation with maximum oxygen uptake (Piquet), 1001

Volkmer, B. G., Kuefer, R., Nesslauer, T., Loeffler, M. and Gottfried, H.-W.: colour Doppler ultrasound in vesicovaginal fistulas, 771

Volume
accuracy of in-vitro volume estimation of small structures using three-dimensional ultrasound (Berg), 425
assessment of fetal cerebellar volume using three-dimensional ultrasound (Chang), 981
fetal renal volume in normal gestation: a three-dimensional ultrasound study (Yu), 1253
on the IVUS plaque volume error in coronary arteries when neglecting curvature (Schuurbiers), 1403,

reconstruction and visualization of irregularly sampled three- and four-dimensional ultrasound data for cerebrovascular applications (Meairs), 263
reproducibility of volumetric quantification in intravascular ultrasound images (Hagenaars), 367
validation of volume measurements in esophageal pseudotumors using 3D endoluminal ultrasound (Liu), 735

Volume flow
flow velocity and flow volume measurements in the extracranial carotid and vertebral arteries in healthy adults: reference data and the effects of age (Scheel), 1261
in vitro validation of volumetric blood flow measurement using Doppler flow wire (Jenni), 1301
Vykhodtseva, N., Sorrentino, V., Jolesz, F. A., Bronson, R. T. and Hynynen, K.: MRI detection of the thermal effects of focused ultrasound on the brain, 871

W

Wada, K., see Kimura, K.
Wang, S.H., see Maruvada, S.
Ward, M., Wu, J. and Chiu, J.-F.: experimental study of the effects of Optison® concentration on sonoporation *in vitro*, 1169
Watanabe, T., see Yusa, H.
Watson, R. J., McLean, C. C., Moore, M. P., Spencer, T., Salter, D. M., Anderson, T., Fox, K. A. A. and McDicken, W. N.: classification of arterial plaque by spectral analysis *in vitro* radio frequency intravascular ultrasound data, 73

Wavelet transform
echocardiographic texture analysis using the wavelet transform: differentiation of early heart muscle disease (Kerut), 1445
the matching pursuit: a new method of characterizing microembolic signals? (Devuyst), 1051

Wear, K. A., Stuber, A. P. and Reynolds, J. C.: relationships of ultrasonic backscatter with ultrasonic attenuation, sound speed and bone mineral density in human calcaneus, 1311
Wear, K. A.: candidate mechanisms to explain temperature dependence of ultrasonic attenuation in human calcaneus, 1370
Wear, K. A.: measurements of phase velocity and group velocity in human calcaneus, 641
Wear, K. A.: temperature dependence of ultrasonic attenuation in human calcaneus, 469
Wentzel, J. J., see Schuurbiers, J. C. H.
Wevers, M., see Lafaut, J.-P.
Wheatley, M. A., see Basude, R.
Wickline, S. A., see Dent, C. L.
Wickline, S. A., see Hall, C. S.
Widman, A., see Souza de Oliveira, I. R.
Wilhjelm, J. E., see Jespersen, S. K.
Wong, K., see Zheng, Y. P.
Woodcock, J. P., see Rakebrandt, F.
Wu, C., see Njeh, C. F.

Wu, C.-C., see Lin, L.-C.
Wu, C-C., Liu, Y-B., Lin, L-C., Ho, Y-L., Liau, C-S. and Lee, Y-T.: ultrasonic tissue characterization with integrated backscatter during inotropic stimulation, 1413
Wu, H.-D., see Yuan, A.
Wu, J., see Ward, M.
Wu, J., see Ye, S.

X

X waves
effects of phase aberration on high frame rate imaging (Lu), 143

Xi, X. and Zhong, P.: improvement of stone fragmentation during shock-wave lithotripsy using a combined EH/PEAA shock-wave generator - *in vitro* experiments, 457
Xing, C., see Dalecki, D.

Y

Yamaguchi, T., see Kimura, K.
Yamakoshi, Y., see Sanada, M.
Yanagawa, T., see Yusa, H.
Yang, P.-C., see Yuan, A.
Yasaka, M., see Kimura, K.
Yates, R., see Migliavacca, F.
Ye, S., Wu, J. and Peach, J.: ultrasound shear wave imaging for bone, 833
Yen, R.-F., see Lin, L.-C.
Yock, P. G., see Takagi, A.
Yokosawa, K., Sasaki, K., Umemura, S.-I., Shinomura, R., Ishikawa, S., Sano, S. and Ito, Y.: intracorporeal imaging and differentiation of living tissue with an ultra-high-frequency ultrasound probe, 503
Yoshida, H., see Yusa, H.
Yoshikawa, M., see Sanada, M.
Yu, C.-H., Chang, C.-H., Chang, F.-M., Ko, H.-C. and Chen, H.-Y.: fetal renal volume in normal gestation: a three-dimensional ultrasound study; 1253
Yu, C.H., see Chang, C.-H.
Yu, C.-H., see Chang, C.-H.
Yu, C.-H., see Chang, C.-H.
Yu, C.-H., see Chang, C.-H.
Yu, J. L., see Goertz, D. E.
Yuan, A., Yang, P.-C., Lee, L., Wu, H.-D., Kuo, S.-H., Luh, K.-T., Chen, W.-J. and Lin, F.-Y.: reactive pulmonary artery vasoconstriction in pulmonary consolidation evaluated by color Doppler ultrasonography, 49
Yuasa, S., see Hitomi, H.
Yuki, H., see Maruyama, H.
Yusa, H., Yoshida, H., Iwasa, S., Ueno, E., Tohno, E., Onizawa, K., Yanagawa, T. and Watanabe, T.: ultrasonographic assessment of response to radiochemotherapy of metastatic cervical lymph nodes in head and neck cancer: usefulness of grey-scale and color Doppler sonography, 1081

Z

Zeqiri, B. and Bickley, C. J.: a new anechoic material for medical ultrasonic applications, 481
Zhang, D., Gong, X.-f., Liu, J.-h., Shao, L.-z., Li, X.-r. and Zhang, Q.-l.: the experimental investigation of ultrasonic properties for a sonicated contrast agent and its application in biomedicine, 347
Zhang, Q.-l., see Zhang, D.
Zhang, X., see Takagi, A.
Zheng, Y. P., Choi, Y. K. C., Wong, K., Chan, S. and Mak, A. F. T.: biomechanical assessment of plantar foot tissue in diabetic patients using an ultrasound indentation system, 451
Zhong, P., see Xi, X.
Zhu, S., see deGroot, C.
Zierz, S., see Georgiadis, D.
Ziskin, M. C., see Barnett, S. B.
Zuna, I., see Huber, S.